

29 ECUUM
MARTIN

EXPERT WITNESSES

JANUARY

Continually Compulsory

JAMES W. MARTIN
M.D.

With a Complete Alphabetical Index

NEW YORK
J. B. LIPPINCOTT & CO.
1888

Printed by J. B. Lippincott & Co.

Philadelphia, Pa.

THE LIPPINCOTT COMPANY

29 ECUUM
MARTIN

EXPERT WITNESSES

JANUARY

Continually Compulsory

JAMES W. MARTIN
M.D.

With a Complete Alphabetical Index

NEW YORK
J. B. LIPPINCOTT & CO.
1888

Printed by J. B. Lippincott & Co.

Philadelphia, Pa.

THE LIPPINCOTT COMPANY



THE AUTHOR
TO THE
READER.

IT may perhaps be wondred,
why the Author should ex-
pose his Book, not only to be
tossed by the impetuous waves
of the Irish Seas (e're it could
set foot on the English-shore)
but more to be admired, that he
should expose it to be tumbled,
and searched by the Accustom-
ed, Ingenious Censure, and

The Author to the Reader.

scrutiny, not only of Learned Scholars, but of Grave Matrons, and Expert Midwives. Since also it is manifest, that very many have not only bestowed their Oyle, but their Ink upon this Subject; It may not only be accounted Arrogancy and Presumption, but impertinent folly, and unprofitable endeavours in the Author; either to think to out-do former Writers; or in his own Concept to be wiser than the present Readers, so as to out-do the one, or out-wit the other. Assuring you, therefore, that his aim is at neither, he hopes it will be candidly received by all. Though the Title-Page
may

The Author to the Reader.

may arrive your view in an *Spectu-*
Irish Garb, with her Hand-*luno ma-*
maid bare-foot, and bare-*tritis; or*
legg'd; or at the best, in Brogues *the Irish*
and Kerchers, (according to *Mid-*
the Custome of the Countrey;) *wives*
yet, be assured, It hath an Eng-*Hand-*
lish dress under an Irish man-*maid,*
tle; it being never intended *&c.*
for the Irish, (though I hear-
tily wish it may be serviceable
to them also, if occasion be,)
whose fruitfulness is such, that
there is scarce one barren a-
mong them; and whose har-
diness, and facility in bringing
forth, is generally such, as nei-
ther requires the nice Atten-
dance of diligent, vigilant
Nurse-keepers, or the Art of
A 4 expert

The Author to the Reader.

*Exod.
Cap. 1.
Ver. 19.*

**Dr. Wil-
liam
Harvey,
de Gene-
ratione
Anima-
lium,
Chap.
de Par-
tu Page
276.
An Hi-
story.*

expert Anatomists, or the un-
wearied pains and skill of dex-
terous Midwiyes; being, more
like the Hebrew women, than
the native Egyptians; deliver-
ed before the Midwives can
come to them. And that this
truth may gain the more Cre-
dit; mind a Story related by as
*Learned a Physitian as our
Age hath known; who reports
it (as he saith) from the mouth
of the Lord Carew, Earl of Tot-
ness, and Lord President of
Munster, for many years toge-
ther; who also wrote the An-
nals of those times. The Sto-
ry is this; There was an Irish
Woman, wife to a Common
Souldier, who, though big with
child,

The Author to the Reader.

child, accompanied her Husband in the Camp; and whereas the Army daily was in motion, marching from place to place; it hapned, that by reason of a sudden flood after a hasty rain, a small Brook began to swell so high, that it hindred the Armies marching for one hour: In which time of the Armies halting, the womans pains of child-bearing came upon her; insomuch, that she withdrawing her self to the next thicket of shrubs (without the help of any Midwife, or any other preparation of Baby-clouts) there, all alone, brings forth Twins; (whom God surely seeing in their blood, said *Ezekiel, Cap. 16. Ver. 5. 6.* unto

The Author to the Reader.

unto them, live, when no eye pityed them;) both which she brought down to the River presently, and there washed both her self, and them; which done, she wraps them up (not swaddled at all) in a coarse Irish mantle, and carries them at her back, marching with the Army the same day barefoot & bare-legg'd (as she was) twelve miles, and that without the least prejudice to her health, or to the lives of her children. The next day after, it pleased the Lord Deputy *Montjoy*, (who at that time commanded the Army against the Spaniard, who had besieged *Kinsale*) and the Lord *Carew*, to be Godfathers

The Author to the Reader.

to the Children, being much Admirers of the novelty of the thing. Neither could the Author suppose, or intend his Book useful to forreign parts, it being published in an English Dialect (no Language being more current than the Latine.) It will therefore consequently be concluded, that it was meant for the English, his Countrey-folk, whether at home, or in forreign Plantations; and undertaken by the Author, because, in all his Readings of Authors (and those not a few) he had not seen any that had written in so plain and perspicuous a method (as may appear by perusing it,) and

The Author to the Reader.

and suitable schemes in various figures, sufficient to direct and inform Midwives in their office : As also, to contribute all things necessary in such cases. The Author therefore commends this Book to the Patronage of the most Grave and Serious Matrons of *England* and *Ireland*, the first being the Kingdom of his Nativity, the latter his Countrey, whil'st obliged to it. Farewell.

James Wolveridge.

From my Study in *Cork*,

Jan. 12th. 16⁹⁰.

To

✻✻✻✻✻✻✻✻✻✻✻✻✻✻✻✻
To his deserving Friend, Dr.
James Wolveridge, On his
Speculum Matricis.

IF that *Sicilian* was admir'd, because
He fram'd the *Machin* which dis-
clos'd the Laws

And motions of the greater World,
what fame

Shall equal be to eternize thy Name;

Who greater secrets in so little can

Unravel, in this lesser world of man?

Volumes that swell, like ore of Gold,
have much

Of earth and dross, which ne're can pass
the touch;

But in this little scheme, behold and see

The essence and extract of Midwivery,

Tredeskin's nur-shell, or that *Germane*
flye,

Were ne'r compos'd with greater in-
dustry.

What

What pangs and throws do others
brains torment,
(Like *Joves*, which *Pallas* teem'd) who
scarce can vent
What they contrive, who labour to
ensure
That which Abortive proves, and not
mature.
But thou hadst quick delivery, thy brain
Ne're wanted Midwife, neither felt it
pain :
In this thy true Production, which from
thee
Came like full-ripe fruit dropping
from the tree :
The Ladies, sure, their glasses will neg-
lect,
When on thy mirrour they shall once
reflect,
Which teaches to preserve their beau-
ties more
Than all their Paints and Washes e're
before.

*Jonathan Ashe, è Coll.
Oriell, Oxon. A. M.*

Author

Author in Libellum, ejusq; picta
Schemata.

Queritur ovata quare sit sculpta fi-
gura,
Demonstrans fatum pagina quaq;
suum?

Omnia credibile est formari Animalia ab
Ovo,

Posse sui generis tale referre genus:
Cernis ut ova trahit solers formica, la-
bore

Parvula, quæ in cumulos Irrequieta
locat.

Ovorum ex numero sunt subventanea,
(Inertis

Molæ instar) pullos non paritura suos:
Hinc hominum, pecudumq; genus, genus
omne ferarum

Fit sterile, & sterilis dedecus arbor
habet;

Edere sed fecunda mihi sperare licebit,
Ovaq; Prolifica ponere fida manu.

Sin

*Sin secus, Obstetricum nullos Quasita la-
bores*

*Gens hominum, cesset, vel labefacta
Ruat.*

*Sic parere, aut calamus doceat parere,
precamur:*

Illud naturæ est, hoc erit Artis opus.

*Anser Ovans alas scriptoribus explicat,
artes*

*Inde docens, variis pictaq; schematibus.
Ille meam pennis, si sit culpabilis, Artem
Delirare suis, & volitare dedit.*

*Ova traham Reliquos scriptores inter,
Acervo*

Pulchrum erit ex magno tollere delicias.

James Wolveridge.

On

On the Praise, and the happy delivery of James Wolveridge, Dr. of Physick, in his labours on the Labour of Women, &c.

Delivered by Aquila Smyth, M. D.

Here is the Key unlocks a Cabinet;
So quick, so safe, by art not
known as yet;

More friendly than the gourd o're *Jonas*
head,

It breaks the *Hymen*, and the Maiden-
head.

What shall I say! mysterious is thy art,
But so, that labour labours in no smart;
Thy clouded Genius 'midst the Curtain
foggs,

Swallows thy worth in the *Hybernian*
boggs;

Dismantle then thy self, appear to be
Happy to all in thy delivery.

So the production of thy brain shall
make

Midwives themselves produce; and for
thy sake

Sol teeming thus, man-Midwives out a
birth,
That is the product to the globe, and
earth:
But whilst thy brain doth labour, we
do too
Bring but an Embrion out, which
though t'out-do
Mountains (full gravidated, but pro-
duce
A mouse) when thou dost open natures
fluce;
So riper seeds are sown on barren
ground,
So th'Reaper hath a sickly harvest
found.
The pregnant *pia mater* of thy brain
Doth settle in his place the womb a-
gain:
There is no *Mola* in thy wit, what's
here,
Of truth is the effect and character.
Teeming this nine moneths, we did
surely look
That thou should'st be delivered of thy
Book;

Pro-

Prodigious Birth! who e're the like
did know

A child brought forth, straitt to a
Midwife grow?

Cease nature now thy tyrannies in
vain,

Here's one doth teach to mitigate a
pain,

Sets open Natures Gate, so that the
birth

Walks from the mother-womb to mo-
ther-earth :

No throws we have in this, no skreaks,
no cryes,

No Instruments, no Capping of the
thighes :

Here is an Art that after-age will boast,
And tell how *Wolv'ridge* hath deliver'd
most

With ease, producing forth what's
safe we see,

To which whole Colledges thy Gossips
be.

*Your Devoted Friend and
Servant, whilst*

*Septemb. 9 th.
1669. Cork.*

Aquila Smyth, M. D.



Ad Authorem, Enco- miastichon.

A Bditæ dum teneri pandis mysteria
fœtus

Numina secretis quæ posuere locis,
Diversis diversa paras medicamina mor-
bis;

Picta refers variis schemata multa mo-
dis;

Signaq; conceptus monstras, signantia
sexum,

Sive puella fiet, sit ve puella puer
Obstetricas; Varias calamo monstrante
figuras,

Qua methado mulier sit paritura doces,
Nuribus, Infanti, Medicarum matribus
æque;

Dum te nec lactis cura vel ulla latet,
Non jacet Aurato licet ulla puerpera lecto,
manu.

Ipse struis facili mollia lecta manu:
Par-
Par-

*Parturit ipse liber, dām pro sponsoribus
astant.*

*Zoilus aut Momus, parturit imo ali-
quid:*

*Quem Matrona gravis si qua lactaverit
ulnis,*

Et dederit Cunas, has vagus orbis agat.

Dabam Cork.

17 Calendas

Octobris,

1669.

Honoris & Amoris

ergo dicavit,

Jonathan Ashe è Coll.

Oriel, Oxon. A.M.

IN

In Authorem, Amicum suum
Integerrimum.

Perlege (Lector;) opus, Wolv'rigii;
quod tibi aperte

Ostendit docti pectora digna viri,
Hic; secreta suis natura vultibus ornat,
Ordine perspicuo conspicienda patent :

Codice nam clari Doctoris d. et a Jacobi :

(Alter Galenus, Justinianus Item)

Qui quorum merito; studiis, satis acta
duorum

Voluerat, & Tomos quoslibet ille suis.
Hic decus, hic lumen, hic fons sermone
Latino

Orbis, en! Emeritus tempus in omne
micans,

Cujus florebit studiosos inter utrosq;

Perpetuo Juris, non minus Artis Amon.

Danielis Colman. J. V. D.

Ex Mufrelo meo in Subur-
biis Bercalibus Corcigix,
Idibus Septembris,

1669.

THE



The Author to his Book.

GO litt'e Book, I envy not thy hap,
Mayst thou be dandled in the La-
dies lap ;
I hope the Ladies will not thee disdain,
Th'art clean, though in a home-spun
dress, and plain :
Nor mayst thou to a gaudy Garb as-
pire,
Thy native Idiom is thy best attire ;
Yet *Phydias* and *Apelles* do declare,
Such Schemes of Births in thee accoun-
ted rare ;
Thou shew'st no monstrous births that
may affright,
(Though thou might'st do't) but such
as may delight,
With admiration; then go kiss their
hands,
Tell them th'art subject unto their com-
mands ;

Thy Countrey-dress composed for their
good,

Brooks no scurrilities, if understood
By Gravest Matrons, never penn'd, nor
meant

To be the subject of a loose intent ;
Nor yet to please lascivious, wanton
eyes,

Whose thoughts to *Venus* are a sacri-
fice.

Go visit Nunneries, whose chaster fate
Perchance may pregnant be without a
mate ;

Except bald time, with his suspected
pate

Teach th' Abbess Midwivery within her
grate ;

Be there *probat'* neer but a year, and then,
If useless, hope thou mayst come out
again.

Perlustrate all the World, let women
know

To help themselves, their children,
nurses too.

Visit the Nurseries of Learnings fame,
Salute those fountains in thy Authors
name ;

Their

Their pardon crave, whilst not from
disrespect

They are accosted in a dialect

As uncouth to his pen, as to their view,
which had been drest up in another
hiew,

Had he been sure to have been under-
stood,

(As was his only scope) for publick
good ;

Yet mayst thou be so where'soe'er th'art
brought,

May't not be said that thou art good for
nought :

Beware the Press a-while, 'twere better
tarry,

Lest being prest too hard thou mayst
miscarry.

If't must be so, those Med'cines of thy
own

Must cure thy sad Abortion, or else
none :

Nor art thou smutty to set out thy fea-
ture,

But yet mayst shew the curious works
of nature,

Teach

Teach Ladies Nett-work then, and tell
them plain

They have a wondrous nett-work 'bout
their brain;

And yet thy fringed skirt adorn'd may
be

With ornaments, and by Authority.

Here's Vest and Tunick, *Amnios*, and
Chorion,

And *Fus de coræ* too, that thou be in
fashion:

We admit no *Allantoïdes* in the least,
Because thou treat'st of man, and not
of beast.

Th'art furnish'd with a Royal Sash
(withall,

Ne'r out of fashion) Cord, Umbilical;
When all is done, then let thy schemes
and fashions

Successful prove to future Generations.

To my most *Worthy Friend,*
Dr. James W olveridge,
upon his *Book, Speculum Matricis.*

AN ACHROSTICK.

If I were skill'd in Chaldaick, or in Syriack,
As others, who might well thy Praises shew;
My muse would then compell a Panegyrick
Even for the debt which to thy worth I owe;
Sith I to that could never yet attain,
Which makes thee famous in the Art of Physick,
Or imitate thy Great Heroick Strain,
Lo, I begin to try in tones of Lyrick.
Let Grave Physitians greet thee with a kiss,
Unskilful Quacks may hence learn to amend,
Expell their poysons, which for want of this
Rent many a heart, and brought untimely end:
I mean, because they knew not mans first being,
Do still mistake; I say't cannot be fit
Giving Remedies which in no way are 'greeing
Express mens ruine by prescribing it.

Your Obliged Friend,
Richard Sampson.

THE

To my wife, Mary, and
 my children, I have
 given this book, as a
 token of my love and
 affection.

MAZDAZU JA MA

1. The first part of the document is a list of names and addresses, which are arranged in two columns. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list includes names such as "John Smith", "Mary Jones", and "Robert Brown", along with their respective addresses in various cities and states.

[The page contains extremely faint, illegible text, likely bleed-through from the reverse side.]

Yours Obedient Friend,
Richard Smalley

三三三



An INDEX con-
taining the Contents
Alphabetically.

A.

A Bortion what, with its causes and
signs. Page 104, &c. How
prevented, and cured, pag. 112, &c.

Air ambient dangerous in child-bed
p. 111. 116.

After-pains what, their causes, and
cure p. 133, &c.

After-burden what it is. p. 84, &c.

Why so called. p. 90, 91, 92, &c.

Must be brought away, and why. Its
danger being left behind. How it
is hindered in its coming forth. How
drawn out. *ibid.*

Aged

The Index.

Aged women commonly bring forth females, and why. p. 101. They are subject to the falling down of the womb p. 16

Age of the best nurse described p. 14

Allantois part of the secundine (in beasts, but not to be found in men) and is as a girdle p. 90

Amnios the inward membrane of the secundine p. 89, &c

Anger in nurses naught p. 14

Aorta what arterie, and how generated p. 8

Arterial vein what it is *ibid*

Astringent powder useful for Midwives p. 30

B.

BAgg described. Page 76. &c. Its use.

Behaviour of nurses to be enquired in to p. 124, &c

Birth natural what, and how, described p. 24. How facilitated 110. 130

Blood after conception distinguished three waies p. 14

Bone

The Index.

Bones generated from the seed p. 118

Borches in children, their causes p. 115.

145

Brains, how generated, and for what

p. 9, &c.

Breath stinking argues a child dead, and
putrified in the womb

p. 79

Breasts sore to cure

p. 101

Breeding women, what forbidden them

p. 101

C.

Capsula of the heart generated p. 6

Cake of the womb what p. 88,

89, &c.

Cartilages whence generated p. 11

Cataplasms against a looseness in child-

bed. 137. Against miscarrying, to be ap-

plied to the navil p. 118

Cataplasme in case of sore breasts

p. 102

Caudles in after-pains, and in case any

of the secundine be left behind p. 134

Causes of immoderate flowing of the

Lochia in child-bed, with their cure p.

119, 120.

Cau-

The Index.

- Cautions to Midwives in their business p. 28, 29
Caution to the Irish women in a loofness p. 105
Child, when so properly called p. 112
Child-bearing women ought to be cheerful p. 110
Children how overlaid, with the reasons. p. 141. Of their pining away 150
Chorion what, and why so called p. 88
Coats of the Arteries, whence p. 11
Cold in child-bed dangerous, with its cure p. 124
Cold dangerous in Child-bearing 111
Calostrat, what children p. 144
Conception, with its signs 95, 96, &c.
Conception in Nurses make the child diseased p. 144
Conditions of Nurses to be inquired into, with her complexion p. 143
Convulsion-fits in infants, whence, and how cured 134, 135
Cordials against fainting fits, p. 112.
A general excellent Cordial-water, p. 113. Against a nauseous stomach p. *ibid.* Costive-

The Index.

Costiveness the cause of difficult birth
p. 35

Costiveness in breeding women naught,
how it may be prevented p. 112

Cotyledons of the womb what p. 104

Courses, why stop'd after conception,
p. 14. How they are to be provoked
p. 115, &c.

They are stirred up by the use of Vener-
ery, & are destructive to milk p. 144

Cranium what, & how generated p. 10

Critical Fevers in child-bed, their cure
p. 123, &c.

Crying in children discovers want of
milk p. 151

Cupping-glasses how, and where to be
applied p. 147

D.

Dancing in the child-bearing wo-
men, or running, naught for the
child p. 110

Dancing of the child a good exercise
for the Nurse p. 147

Danger from being not well purged in
child-bed p. 115, &c.

a Decoction against too much milk
p. 148

Dead

The Index.

Dead child, how delivered of p. 93, &c.
signs of a dead child p. 102, &c.
108. 131.

Diet prescribed for breeding women
p. 111. For child-bed women p. 120

Diarrhæa, see Loosness in p. 131. 136

Different postures of infants in the
womb, why p. 78

Difficult births, their causes p. 34, &c.

Distinction of parts, when p. 12

Dreams in the infant discover want of
milk p. 151

Dropsies, how distinguished from a
Mola, or false conception p. 82

Drunkennes not to be indured in nur-
ses, p. 140

The *dura mater*, how generated p. 10
E.

Eating flesh in child-bed the cause
of Fevers p. 124

Eating and drinking to be observed by
nurses p. 143

Eight moneths birth not like to live.
p. 19, &c. The reasons *ibid.*

Emplaster against abortion p. 113. 132

Against Convulsions in infants p.
153,

The Index.

135, &c. Against the inconveniency
of milk to be applyed in the breasts

p. 122. 146

Embryon what p. 87

Epar uterinam, that is, the liver of the
womb, what, its use, and why so
called p. 86, 88

Exercise attenuates milk p. 146. In
the nurse good for the child p. 147

Experiments to know if a woman hath
conceived or no p. 98, &c.

Experiments to try milk p. 126

The Excrements are not voided by the
fundament whilst the child is in the
womb p. 16, &c.

F.

False conception what. p. 79. How
it differs from a true conception p.

81. How distinguished from a Drop-
sie. p. 82. How delivered of p. 94

Falling out of the womb p. 162, &c.

Fainting fits in breeding women, how
prevented p. 112

Fevers in child-bed in general, and of a
Fever of milk, what it is, with the
cures p. 121

The Index

Female when conceived, and how
known p. 200

Fibres in the first generation what p. 2

Figure of a child of 18 daies old p. 12

Fume, or suffumigation in fits of the
mother p. 160

G.

Galea is part of that coat of the
secundine called the *Amnios* p. 87

a General cordial water against all
fainting fits, at all times p. 128

a Gibbous infant the cause of a difficult
birth p. 35

Glysters for a looseness in child-bed.
p. 136, &c. For the retention of the
Lochia then p. 116

Gluttony in nurses condemned p. 143

Great breasts, and great nipples in nur-
ses not commendable, why p. 141

Grief in nurses naught for the child. p.
143 Naught for child-bearing wo-
men p. 110

Gripes in the belly of infants, whence
p. 149

Hand-

The Index.

H.

H And some children, why some so,
& why others unhandsome p. 21
Hastiness in the Midwife not good p.

27, 29

Hasty rising up of the mother naught
for the child in the womb p. 110

Hard breasts the signs of the infants
thriving in the womb p. 101

Hæmorrhoids the cause of difficult
birth p. 35

Heart generated, when p. 6

Heat of the seed the cause of genera-
tion of males, they are generated in
the right side p. 21

Helmet called the *Galea*, part of the
Amnios p. 87

Heavy burdens carried by the mother
are naught for the infant in the
womb p. 111

Hysterick fits: see Strangulation of the
womb, and mother-fits p. 155, &c.

I.

Innate heat in infants requires con-
stant aliment p. 150

Infant, when said to be, p. 16 How it
lyeth

The Index.

- lyeth in the womb, p. 33, &c. How
nourished in the womb, p. 14 It at-
tracts the purest blood, *ibid.* Hath
more from the mother then from the
father, *ibid.* Why like their Parents,
p. 21 To know whether it thrive in
the womb, or not p. 101
Infants participate of the nurses food,
and physick, p. 151 How to be re-
ceived by the Midwife p. 29
Impurities are communicated to them
by the Qualities of the milk p. 151
Inflations the cause of after-pains p.
133
Inflammations of the womb the cause
of difficult birth p. 35
Intemperance in nurses the ruine of
their nurseries p. 140
Immoderate flowing of the *Lochia* in
child-bed dangerous p. 119, &c.
Juleps in case of retention of the *Lochia*
in child-bed p. 118, &c.
Against Convulsion-fits in infants p.
K. 135
K Nots, as many as are to be obser-
ved in the navil-string, so many
males p. 103 Ladies

The Index.

L.

Ladies may nurse their own children with the greatest conveniences p. 135

Leprous infants, how so begoten p. 102

Liver first generated after the coats by the *Vena bifurca*, p. 4, &c. Is a concrete blood *ibid.*

Loshia retained in child-birth, dangerous, p. 115 Flowing over-much, dangerous also p. 119

Loosnes in child-bed dangerous, p. 131.

Lungs, when, and how generated p. 8

M.

Male conceived, how known p. 99

Man, his dignity, and titles, *vid.*

Pref.

Manner of generation p. 2, 3

Marrow of the bones what, with its use

p. 11

Matrix to be anointed in difficult births

p. 40

Meats to be avoided by nurses, what

p. 144

Medicines usual in Fevers of child-birth p. 124

* 4

Mem-

The Index.

Members distinguished by the tenth day p. 7

Menstrua the cause of strangulation of the womb, or fits of the mother p. 156

Midriff how made, p. 7. The best Midwife described, p. 27 Her posture, p. 28, &c. Her office, Number of her assistants, Her furniture *ibid.*

Midwives are not to take more care of the infant then of the mother p. 93, 94

Milk, how generated, p. 14. 98 It is the cause of Fevers, p. 121 Driven back too soon dangerous, with the reasons of it, p. 122 Tried by its colour and quality, p. 145 Of milk too thick corrected, p. 146, &c. Too thin corrected, *ibid.* How to cure the too great abundance, p. 147. The want of milk supplied, *ibid.* No milk at all, the worst p. 150

Mirth good in breeding women, p. 110

In the nurse, best for the child p. 141

Mola, or false conception, what p. 79

Mother contributes more to the infant then

The Index.

- then doth the father p. 15
Motion too violent in the nurse, naught
for the child; and so in the mother
p. 147
Mourning either in the mother, naught
for the infant in the womb, p. 43 Or
for the nurse *ibid.*
Mothers, if able, fittest to nurse their
own p. 152
Mother-fits, see strangulation of the
womb, p. 155. How cured, p. 159
Mucilage what p. 126

N.

- N**atural-form of birth, what it is
p. 24
Nauseousness prevented p. 113
Navil how generated p. 3. How to be
cut, *ib.* How it attracts blood for nou-
rishment, p. *ib.* Cords of the navil,
so many twins 103
Needing what p. 168
Nerves of the back, their original, p. 11
How dispersed through the whole
body by a figure p. 13
Nipples, what are the best, p. 141, &c.
Sore

The Index.

Sore nipples to cure p. 137, &c.
Nurses the best, described, p. 140, &c.
Not to be chosen in poverty, p.
150. Nurses purged to cure the
child, why p. 151
Nurses not to rock the infant too vio-
lently presently after suckling it, why
p. 153.

O.

O Riginal of the nerves, p. 10 Of
the spine of the back *ibid.*
Oxycrat what p. 129
Oyles, what fit for Midwives, p. 28
Their use in difficult births p. 41
Ointment in case of the *Lochia* suppres-
sed, p. 118 in case of too immoder-
ate flux of them, p. 120 An excel-
lent ointment in a difficult birth, p. 41.
126 For sore nipples, *ibid.* In Hy-
sterick fits p. 160

P.

P Arfly an enemy to milk p. 144
Passions in the nurse hinder good
milk p. 143
Pains in child-bearing, whence they are
p. 23. 133
Pains

The Index.

Pains after the child-birth, what p. 52.

116. 124

Pericardium generated with the heart

Piles in hysteric fits p. 161

Planets, their aspect, the cause of good features and forms in children, and of bad p. 21

Placenta uteri what, p. 86, 88. But one, though there be never so many infants; Its use *ibid.*

Plenty of milk ever best, p. 142 Postures of the infant many, p. 37, &c.

Postures of the infant naturally, how, p. 33 Many præternatural postures described in sixteen several figures, from p. 37, to p. 72 Their helps resolved by way of Dialogue *ibid.*

Potions useful in difficult births p. 134

Powders for sneezing in difficult births, p. 127, &c. Against Abortion, p. 131 Against Convulsion-fits in infants, p. 126 Against immoderate flowings of the *Lochia* in child-bed,

p. 119

Pulsatile veins from the great Artery of the heart

p. 7

Pur-

The Index.

Purgation of women how long, p. 115
Not being well purged, dangerous
ibid.

Purge not to be given till seven daies
after the birth, in case the *Lochia* be
stop'd p. 117

Pustules and wheelks in infants, their
cause p. 149

Qualities of milk pass into those
that are suckled by that milk
p. 152

Quarrellsomeness in nurses naught p.
143

Quicken, when women do p. 17

R.

Remedies over-hot in difficult
births, how inconvenient, p. 126,
&c.

Retention of the *Lochia* in child-bed
dangerous, with its causes, and cure
p. 116

Riding in the mother naught for the in-
fant p. 110

Rocking of the infant too vehemently
presently after sucking naught p. 153

Running

The Index.

Running in the mother naught for the
infant p. 110

S.

S Colding in nurses not tollerable p.
142

a Scruple what p. 128

Scull, how generated p. 10

Seventh moneth birth may live p. 19

Secundine what, p. 84 Described by
figures p. 85

Sexes distinguished p. 99

Sixth moneth birth cannot live p. 19

Signs mortal by the infants motion in
the womb p. 20

Sleep in the mother good for the infant,
p. 11 Often sleep in nurses is good
for the infant p. 141

Sluttish nurses make nasty children
p. 140

Sneezing good in difficult births, p.
127, &c. And in fits of the mother
p. 159

Soul when infused p. 17

Spine of the back, how generated, p.
11 What it is, *ibid.* Its use *ibid.*

Stature of the nurse p. 104
Stinking

The Index.

- Stinking things and smells, how useful
in mother-fits p. 161
- Stool for Midwives described p. 28
- Stone in the bladder the cause of difficult birth p. 35
- Stopping of the terms no sure sign of conception p. 98
- Strangulation of the womb a fierce distemper, p. 155 Its definition. What it is, *ibid.* Parts affected what, the causes, p. 156 Signs of the fit in its augmentation, state, and declination, p. 157 How it differs from a Syncope, or Swouning, 158, &c. How from an Apoplexy, *ibid.* How it differs from an Epilepsie, p. 159 Its cure *ibid.*
- Strength, how to be restored p. 123
- a Suffumigation in fears of Abortion, p. 113 In hysteric fits 160
- Superfoetation what 102
- Suppositories, p. 124 For infants, p. 136 In the strangulation of the womb p. 255
- Sweet smells, how used in fits of the mother p. 161
- Symp

The Index.

Symptoms grievous in breeding women,
their danger, how corrected, p. 24 In
child-bed women not well purged, dange-
rous p. 112

T.

Tartness of milk, how corrected p. 146

Terms in child-bearing to help p. 113

Timpany, how caused p. 82

Truncus phrenicus what, p. 7 The trunk of
the hollow vein, ascending and descend-
ing p. 5

Tryal of milk p. 135

Twins have so many navil-cords as there
are twins, and yet but one *Placenta* p. 103

V.

Vein hollow what, p. 9 Vein two forked
what; Its use, p. 3 The Venal Ar-
terie, with its use p. 7

Venery, and its use, spoyle the milk in the
nurse p. 144

Venerous thoughts in the nurse spoyle the
milk *ibid.*

Ugly children, the reason why they are so
p. 21

Virious seed the cause of strangulation of
the womb p. 156

Virtue of the milk of a male child, if a fe-
male suck it; and of a female, if a male
suck it p. 145

Unguent against Abortion, p. 41. 126. See
Ointment. Vo-

The Index.

Vomit of Oxymell good to attenuate thick milk p. 146

Urine of the infant in the womb, by what passages voided in the womb p. 16

W.

WAnt of milk, the causes, and cure p. 147

Waterish humors flowing out of the breasts of its own accord, is an argument of a weak child p. 105

Weakness of the matrix is the cause of the secundine not coming forth p. 90

Whelps dye with sucking women p. 142

Winds sharp and cold not good for the child in the womb p. 106

Women meet helps for man, p. 27 Fit helps for women, by reason of the modesty of their Sex, p. 27, &c. How delivered, *ibid.* How long to keep their beds in child-bed with safety p. 115

Women above 40 years old bring forth with more difficulty, p. 30 They are to be dealt withal in child-bed, as with wounded persons p. 124

Womb, its natural property to receive seed, p. 1 The falling out of it, p. 162 The signs, *ibid.* The causes, p. 163. Prognosticks, and cure p. 164

Y.

YEar sufficient for a child to be suckled p. 155

Young women bring forth males most commonly, why p. 100, &c.

The end of the Table.



THE PREFACE.



*Ince all Arts and Sci-
ences tend to the use
and benefit of Man-
kind, all things by the
Almighty Creator being subjected
to him, who is no other than a
little World in himself: Man
would not only be ungrateful to
his Creator, but wanting to his
off-spring, should he not endea-
vour to improve his whole indu-
stry, Reason, and skill, to propa-
gate*

The Preface.

*Non mi-
nor est
virtus
quam
quarere
paria
meri.*

gate his kind to all posterity. And therefore, besides other helps, as Physical, Anatomical, and Diætical, &c. The art and skill of Obstetricie. (commonly called Midwivery) is none of the least: It being no less virtue and prudence to preserve a child when begotten, than content and pleasure in begetting; in both which, both Sexes are, and ought equally to be concerned; for where the womb proves the tomb, there is neither room for Physick, Anatomie, Chirurgery, or diet, &c. or any thing like it. This then being the first work in reference to mans future well-doing, laying aside all other Argumentative circumlocutions, and deviations; let us, by

The Preface.

by way of discourse, examine; and contrive, how that creature man may be preserved, from the beginning of his Conception, to the hour of his birth, and that with safety too to her that bare him. And truly, it may be worth the while, if we consider the excellency of man, whom some call (as like unto God, so) The Interpreter of the gods. Pythagoras calls him The Measure of all things; And Plato calls him The Wonder of Wonders. Theophrastus stiles him The Great Pattern of the Universe. Aristotle terms him A Politick Animal, born for society, whom God made with his face upright; whereas all other creatures look with their faces downwards.

The dignity of man described. Μέτρον πάντων, ὡς θεός. ἡ ἀνθρωπίνη φύσις πολιτικὴ καὶ θεοειδής.

The Preface.

Ovid.
Metam.
Lib. 1.

Hori-
zontem
corporeo-
rum &
incorpo-
reorum.
Divi-

num ani-
mal, ple-
num ra-
tionis &
consilii.

Mundi
Epito-
men, &
naturæ

delicias.

μικροκο-
μου ἐν τῷ

μακρο-

κόσμῳ.

P. 8. vc.

4, 5, & c.

Pronaq; cum spectant ani-
malia cætera terram; Os homini
sublime dedit, cœlumq; tueri
Jussit, & erectos ad sydera tol-
lere vultus. Synesius terms man
the Horizon of all corporeal and
incorporeals. Tully calls him a
Divine creature, full of Reason &
counsel; whom Pliny also calls
the Epitomy of the World, and de-
light of Nature: And whom all
with one consent, call, a Micro-
cosme, a little world in a bigger.
Of whom, the Kingly Prophet Da-
vid, in Psalm the 8th. saith,
Thou hast made him little lower
than the Angels; thou hast
crowned him with glory and
honour, and hast placed him
over all the works of thy hands.

Not

The Preface.

Now then, man being so excellent
a Creature, who, though the last
in the Creation, yet not the least;
God making him as after his own
Image and Likeness, and instru- Gen. the
1 Chap.
cting him with so large a Commis- ve. 26,
sion, (and a blessing annexed to 27.
it) as to subdue the Creation, ma-
king all the creatures subject to
the dominion of man, whom God
had ordained as his Vice-Roy on
earth, with this blessing, viz. be
fruitful, and multiply, and reple-
nish the earth: Let us make a
nearer indagation and scrutiny
into the formation of man, as to
the order of the generation of the
parts, and increase of the infant;
according to the daies and times;
from the first conception till the
day

The Preface.

day of his birth: And then, the more we seriously weigh it, and pry into it, the more, with the Psalmist, we shall admire our Creator by our creation, and bless that God that hath cover'd us in our Mothers womb, and praising him, say; We are fearfully & wonderfully made, marvellous are thy works, &c. My substance was not hid from thee when I was made in secret; and curiously wrought in the lowest parts of the Earth. Thine eyes did see my substance yet being unperfect, and in thy Book all my members were written, which in continuance were fashioned, when as yet there was none of them. And if God, who created
male

Ps. 139.
ver. 13.

Ver. 15.
Septuagint,

Τὸ ὀστέον

μου.

My bones

ὡς ὅσα

ἔστιν.

Ver. 16.

The Preface.

male and female, thought it fit to provide the woman as a help meet ^{Gen. 2.} for him: Women being most fit to ^{20.} help women in their deliveries, by reason of the modesty of their sex; It shall be the whole subject of this ensuing small Tract, to describe a Midwife, and such a woman too that may be most apt for so necessary an employment; and then (still aiming at a publick good) declining that Idiom best becoming the Pen of Doctors, shall shape my Quill to an English Dialect; and (avoiding intricate and Bombastick words, and Acroamatical sentences, where they may be otherwise expressed) afford such material directory assistance in the business of Midwivery, as shall be

The Latin
Tongue.

The Preface.

be suitable to the meanest capacity; not presuming to instruct the
Learned, lest I seem to bring Owls
to Athens; but to inform the less
knowing. And ending this Preface, we will begin with Generation it self, and the rest in Order

Γλαυκῶδες
εἰς Ἀθῆ-
νας.

Νοετίας
Ἀθηνᾶς.

SECT

SECT. I.

Of the True generation of the Parts, and Increase of the Infant in the Womb, according to the dates and times, till the time of the Birth.



When the womb (whose

The property of the womb.

property it is naturally to receive seed unto generation, as a Loadstone attracts iron, or as Jeat draws or feathers) hath received the seed for generation, and by its virtue hath shut up the seed for generation; Presently, from the first day untill the sixth or seventh, there grow and arise very many and very small fibres

See the figure marked.

by which vital heat the liver with his chiefest organs are generated by a natural

B

tural

tural virtue ; as this following Scheme
may the more illustrate, marked as in
the margin.

I. T. O. H. 2

The small
first fibres?



2

For the vital spirits, giving down
seed towards conception, forms and di-
stinguisheth the chiefeft members by
the

the tenth day, being let in by certain veins of the secundine, to which the matrix is fixed, and by which the blood is imported, and of which the navil is generated.

The navil
how gene-
rated.

But at the very same time three smal spots (not unlike to curds of milk) arise, where the liver, the heart, and the brain have their places; and then presently a vein directed by the navil, attracts the thicker blood confused with the seed, and makes it fit for nourishment: from whence also there ariseth a vein with two forks, which is generated according to the form of this figure.

Nourish-
ment of
the Infant
by the na-
vil.
*Vena bi-
furca.*



4

In the one of which branches there is a collection of blood, of which first the liver is generated by a natural faculty. From whence it easily appears, the liver to be a congealed and concreted blood: and also it may be manifest

The generation of the Liver.

how

how many and various veins it hath prepared and fitted, for the expulsive and attractive virtue. But in the other branch are generated those textures, or rather web of veins, with the dilatation of other veins, as of the stomach, spleen, and intestines, in the lower part of the belly. And from hence immediately all veins are recollected together, as so many branches into one trunk, in the upper texture of the liver towards the hollow vein; and this trunk by and by sends down branches to make the midriff, and directs not a few branches to the lower parts, even to the very thighs: and then the heart, with his veins extended into seed from the navil, is generated by a vital virtue, and is directed towards the spine of the back, as is demonstrated in this figure, 3.

*Vena Cava
truncus as-
cendens,
descendens
Diaphrag-
ma.
truncus
descendens,
spina dor-
si.*



The generation of the heart.
Pericardium, vel Capsula Cordis.

But those do attract the hottest and more subtile blood, of which the heart is generated, incased in a membrane, naturally fleshy and thick, necessary upon the account of so hot a member. But the hollow vein extending it self

and

and penetrating the inward concavity
of the right side in the heart, &c. de-
rives thence blood for the nourishment
of the heart. From the same branch al-
so of this his vein, and in the same part
another vein ariseth, called, by some, the *Truncus*
immoveable, or quiet vein; because, *Phrenicus,*
according to the account of the pulsa- *vel Dia-*
tion of other veins it bears not at all, *phragma-*
but lyes quiet; ordained for this end, *tis.*
that it should let go the purest blood to *Vena Co-*
the lungs, being vested with a double *ronaria.*
tunicle like an Arterie, from whence
it is called the Arterial vein. But in the *Vena ar-*
left concavity of the heart there are two *teriosa, or*
Arteries, that is to say, the Venal Ar- *pulmona-*
terie, and the Great Arterie, which *ria.*
carries a great pulse with it, and diffu-
seth the vital spirits by the blood of the
heart into all the pulsatile veins of the
body. For, as the hollow vein is the
original of all veins, by which the bo-
dy doth attract its whole nourishment
of blood; so, from the *Aorta* (or great *Aorta.*
Arterie) all pulsatile veins are derived, *Vena pul-*
diffusing the vital spirits through the *satiles - b.*
Aorta.

whole body. For the heart is the fountain and original of vital heat, without which no creature or member can thrive.

*Arteria
Venosa.*

Under the abovesaid Arterie in the left concavity of the heart, another vein ariseth called the Venal Arterie: And, although that be really a pulsatile vein, and doth direct the vital spirits, yet according to the manner of all pulsatile veins that have blood, It hath but one coat, and therefore made for that end, that it should derive the cold air from the lungs to refresh the heart, as also to attemper its over-much heat.

*The generation of
the lungs.*

And, because veins issue out from both the concavities of the heart, and are inserted into the lungs, and of which the lungs are formed; for the vein that proceeds from the right concavity of the heart produceth the most subtile blood, which by small fibres dispersed here and there, is changed into the fleshy substance of the lungs. But from the great vein of the heart (*viz. the Aorta*) and from the great vein of the li of

ver, (viz. the *Vena Cava*, or hollow *Vena Cava*, the great vein of the liver, from whence the brest, arms, and thighs proceed.



9

Within the time aforesaid also is generated the highest and chiefeft part of this noble structure, the Brain; in the generation of the brain.

The *Brain*, or
the *Dura*
mater.

The Skull.

The ori-
ginal of
the nerves.

the third Region of this mass; for the whole mass of seed being filled with the animal spirits, that contracts a great part of the genital moisture, and concludes it in a certain concavity wherein the brain may be formed: but, as to the out-side, it is inveloped with a certain covering, which being roasted and dried with heat, is brought into a boney substance, and becomes a skull, as appears by this precedent figure.

But the brain is so formed, that it may conceive, retain, and change the natures of all the vital spirits, from whence also proceed the beginnings of all Reason, and of the Senses: For, as veins have their original from the liver, and as arteries have their from the heart; so also nerves being of a softer and milder natural existence, arise from the brain, and are not hollow as the veins are, but solid; for they are the first and chiefeft instruments of all the senses, by which the motions of all the senses, by reason of the vital spirit, are made.

After

After the nerves, from the brain also is formed the pith of the back bone, nor of an unlike nature from the brain, so that it scarce can be called marrow, because it hath no likeness to marrow, either by sight, or in substance; for the marrow is a kind of superfluous aliment, arising from the blood of the members, appointed to moisten and make the bones of the body grow; but the brain and pith of the back have their original from the seed, not depurated for the nourishment and growth of the other members, but that by themselves they might make private parts of the body, for the use and motion of the senses, that from thence all the other nerves may take their rise. For, from the pith of the back many nerves arise, from which the body hath sense and motion, as may appear by the difference betwixt the vital and animal faculties, as hath been before hinted.

Moreover, here it is to be observed, that from the seed it self cartilages, bones, coats of the veins of the liver, and

The original of the pith of the back-bone, called the Silver cord, Eccles. cap. 12. ver. 6.

The marrow, what, and how generated. The Spinalis medulla, what,

The brain and Spinalis medulla ordained for the use and motion of the senses.

Cartilages, bones, &c. generated from the seed.

Of the Generation

All parts
distinct by
8 dies.

When cal-
led a child.

and of the arteries of the heart, the brain with the nerves, and again the tunics, and as well other pannicles or membranes as those that wrap up the infant, are generated; but from the proper blood of the infant is the flesh it self ingendred, and all those parts that are of a fleshy substance; as the heart, the liver, and lungs: And then at length all these grow together by the men- struous blood, attracted by the small veins of the navil, which are observed to be directed with their orifices into the womb. All which are distinctly made by the eighteenth day of the first moneth, from the very conception, at which time it may be called seed, but afterwards it becometh to be, and is called a child; which the Ancients have comprehended in these two verses,

*Sex in lacte dies, ter sunt in sanguine
trini,
Bissen carnem, ter seni membra figu-
rant.*

Six

ne
ne
or
he
o-
elf
re
he
th
n-
all
ed
to
tly
rk
at
our
is
nts
er-

ine
m-
Six


10th
11th

12th
13th
14th
15th

16th
17th
18th
19th

20th
21st
22nd

23rd
24th
25th



The lesser figure denotes
the Nerves derived from
the Back and dispersed
through the whole.
The explanation of the
larger figure see in the
following page.

and increase of Parts.

Englished thus,

Six daies in milk, thrice three the food's
in blood;

Twice six makes flesh, thrice six makes
members good.

FF Sheweth a young one of 18
daies (though some hold it but 14
daies in which all the members may be
discerned apart.)

GG The four Umbilical Vessels
meeting in one.

HH How the Umbilical Vessels be-
come thick by degrees, that that doubt
amongst some may be resolved, whe-
ther they spring from the womb, or
no.

III Sheweth how the Umbilical veins
and arteries are spread throughout the
Chorion by infinite branches.

KKK Sheweth the membrane called
Amnios, in which sweat and urine are
gathered together, in which the infant
swimmeth, and sits as safe as in a Bath.

Of

SECT. II.

Of the Nutriment of the child in the womb, and by what nourishment it is preserved, and when it groweth up to be an Infant.

Infant, how
nourished.

Why cour-
ses stop'd
after con-
ception.

A three-
fold distri-
bution of
blood after
conception.

*Vene
mammaria.*

The gene-
ration of
milk.

WHILEST the young one is in the womb, it is nourished by blood attracted by the navel; by which it is, that women after they have conceived have their terms stop'd; for then the infant begins to crave, and attracts much blood. For the blood presently after conception is discerned by a three-fold difference. The first and purest part of it the young one attracts for nourishment. The second, less pure and thin, the matrix forceth upward by certain veins to the breasts, where it becomes milk, by which the infant is nourished so soon as it is born. The third, and more impure part of the blood

blood, remains in the matrix, and flow-
eth out with the secundine, both in the
birth; and after the birth: Hence it is
that *Hippocrates* saith, there is much
affinity betwixt the flowers and the
milk, since the one happeneth to be
made out of the other. And *Galen* al-
so, by reason of this thing, elegantly
adviseeth, that the infant hath more
from the mother than from the father;
for this reason, because the seeds are
first increased by the menstruous blood,
and then by these the infant is present-
ly nourished in the womb; and again,
being newly born, it is nourished with
milk: And, as roots have more nou-
rishment from the earth than the plant
that bare them; (that is, from whence
they came): so also infants receive
more from the mother than from the
father. And hence he saith that it comes
to pass, that so much more is attribu-
ed to the mother, by how much more
she contributeth more towards gene-
ration.

But the infant being now formed,
and

Hippocrates
lib. 9. 39
et 52.

The infant
hath more
from the
mother
than the
father.

When an
infant.
How the
urine is
voided.

and perfected in the womb; in the first
moneth the young one sends forth u-
rine by the passages of the navil; but
that conduit being shut in the last



moneth, they vent it by the privities
(of which more when we come to treat

of the secundine (or after burden, with its coats.) Whilest the infant is in the womb, it avoids nothing at the fundament, because hitherto it hath sucked in nothing by the mouth. After

the 9th. day, as *Hippocrates* adviseth, it receiveth life, and together with

The soul when infused.

the soul (according to the opinion of *Aristotle*) divinely infused, for that then it

Anima creanda infunditur & infundenda creatur.

begins to be sensible, and from that time it may no more be called a young

embryo, but an infant, according to the precedent figure. And, though at this

time it may have sense, yet it wants motion, being as yet very tender, but of

the time of the motion, *Hippocrates* gives this account, viz. If you account

the daies double from the time of conception, you will find them quicken;

and the time of quickening being triplicated, makes up the day of the birth. As

Quickening when.

for example,

If the infant be formed in 45 daies, it will stir in 90 daies, which is the

A rule to know it.

middle time that it lies hid in the womb; for in the ninth moneth it will

C

come

come forth, and make haste to the birth; although females are oftentimes born in the tenth moneth. And so much for the formation, increase, and perfection of the infant, according to the account of daies and times.

How

SECT. III.

*How the infant doth in the womb
the fifth, the sixth, the seventh,
and eighth moneth; and also
of the difference of sexes, and
forms.*

AFTER the third and fourth moneth
the infant useth a more plentiful
nourishment, by which it groweth
more and more untill the time of birth
shall come: Therefore it is to be un-
derstood, that when it is born in the
sixth moneth, it cannot in nature live;
because, though it be formed distinctly,
yet it is not of its just perfection. But
if it be born in the seventh moneth, it
may easily live, because then it is suffi-
ciently perfect. And, whereas those
that are born in the eighth moneth can
scarcely live; whereas, such as are born
in the seventh moneth are often times

Why an
infant born
in the se-
venth mo-
neth may
live.

Two mor-
tal signs
by the in-
fants mo-
ving.

living, it is not without reason; for on the seventh moneth the infant is ever moving towards the birth, at which time, if it be strong enough, it comes to the birth, but if not, it remaineth in the womb till it groweth stronger, (*viz.*) the other two moneths. After the motion at seven moneths end if it be not born, it removes it self into some other place of the womb, and is so weakned by that motion, that should it come to the birth in the following eighth moneth, it cannot live by reason of that motion; and neither is the infant indangered by this only, but by a double motion. The first is, that when after the motion of the seventh moneth it is born the eighth moneth, (*as afore said.*) The next is, because (by reason of the influence of the stars) every seventh moneth produceth a dangerous and hurtful motion to the infant; for the Sun is ever standing in an opposite sign at that time, and because the 8th moneth is ever nearest unto *Saturn*, an enemy to all that receive life.

the fifth to the eighth month.

And it is to be conceived, that the males are generated in the right side of the matrix, but females in the left, out of the left testicle; for the right side, by reason of the Liver is hotter, but the left cooler; but principally the abundant heat of seed is the cause of the generation of males.

The difference of the sex. Hippocrates Aphor. v. Book, and 48.

And, because males are sometimes like their parents, is from the virtue of the seed, that the infant should most resemble those whose seed is most in virtue. But 'tis believed that the motion of the stars can do somewhat, as when the seed is conceived under the aspect of some good Planets; this makes an excellent form; but when under the aspect of some untoward Planet, then produceth an ugly shape, and un- beautiful form.

Of infants being like their parents.

Stars have influence.

The reason of handsome and un- handsome children.

CC Denotes the Kidneys of each

DD The emulgent veins on the right

C 3

EE The

The explanation of the figure.

EE The emulgent Arteries on the right side.

F The trunk of the hollow vein.

HH The emulgent Arteries on the left side.

LL The spermatick veins on the right side.

K The spermatick Arterie on the right side.

M The spermatick veins on the left side.

aa The Ureters cut off.

oo The feminine testicles.


PP The broad ligament like Batwings.

qq The trunk of the great Arterie.

BB Vessels like Vine-branches.

Y The shaft of the womb.

R The bottom of the womb where the infant lieth.



The explanation of the figure.

EE The emulgent Arteries on the right side.

F The trunk of the hollow vein.

HH The emulgent Arteries on the left side.

LL The spermatick veins on the right side.

K The spermatick Arterie on the right side.

M The spermatick veins on the left side.

aa The Ureters cut off.

oo The feminine testicles.


PP The broad ligament like Bar wings.

qq The trunk of the great Arterie

BB Vessels like Vine-branches.


Y The shaft of the womb.

R The bottom of the womb where the infant lieth.



This Fig. shews the Womb
 anatomized and how the
 Infant lyeth in it
 The parts are des-
 cribed in the following
 page.







SECT. IV.

Of the due time and form of the Birth; and what are the causes of pains in Child-bearing.

THe ninth moneth being now at hand, the nourishment of the infant in the womb beginneth to fail, by reason of that bigness to which the infant is grown; or now being big, it requires much nourishment, which, because it cannot longer attract by the small veins, and by the navil, it is moved with great struglings and force in the womb, insomuch, as it breaketh the ligaments, the veins and coats in which the infant is involved (I mean the secundine) with the other coats, of which hereafter, and according to this figure, sheweth it self toward the birth.

By this indication Midwives and ^{White are} other women which sometimes are as ^{the pains} ^{in Child-} sistant ^{bearing?}

sistant unto pregnant women, may observe the true pains of a woman in travail, which in truth are nothing else but the force of the infant now perfect, by which they are enforced and tossed, and with which they contend downwards, that they may go forth; for the membrane being broken by that force, and the womb open, the humors begin to flow down, of which the infant being now freed, he presently is sensible of the air, and being desirous of this life, is turned toward the out-let of the matrix, with his head towards the orifice of the same: And this (see the precedent figure) is the form of a natural birth; if the head tend forth to the out-let, with the hands drawn down to the sides, and plac'd on the hips, as in the last figure. An unnatural birth (of which more at large, God willing, hereafter) may be said to be where any of these conditions are wanting, or defective; therefore let the Midwife take care that she be timely prepared for the reception of any birth, with all necessary

A natural
birth, what

cessary conveniences, as with a fit stool, The Mid-
a sharp knife, astringent powder, a wives fur-
sponge, swathes, &c. warm oyle of ^{furniture.}
Lillies, with which she may aptly an-
oint both the womb of the woman, and
her own hands: but of that also more
particularly hereafter. Let us now, in
the next Section, make inquiry for the
fittest and best Midwife, with whom
we may discourse. There is a good
woman called Mrs. *Entrapelia*, who
promised to undertake the office, and
to be satisfied with directions. And see,
here she comes, and offers discourse.

SECT.

SECT. V.

*A Dialogue between Eutrapelia
the Midwife, and Philadel-
phos the Doctor.*

E*utrap.* Sir, I understand you are inquiring after a woman, that may make a fit Midwife; the employment being such a necessary and publick good; I should be willing (if your Worship, and other Learned Physicians think me fit) to be serviceable in my generation, and to take upon me that employment.

Dr. Philadelphos, Your name, I beseech you, Mistress.

Eutrap. Sir, my name is *Eutrapelia*; and I am she that last night promised to wait on you this morning.

Philad. Are you she? Welcome Mrs. *Eutrapelia*, your name bespeaks you fit for the work, as being a well-bred woman; therefore give me leave to
tell



*A Naturall
Birth.*



tell you what kind of person a Midwife ought to be, and that in the subsequent description.

The best Midwife is she that is ingenuous, that knoweth letters, and having a good memory, is studious, neat and cleanly over the whole body, healthful, strong, and laborious, and well instructed in womens conditions, not soon angry, not turbulent, or hasty, unlober, unchaste; but pleasant, quiet, prudent; not covetous, but like the Hebrew Midwives, such as fear God, that God may deal with them, and that the people may multiply and increase after their hands, and that the Lord may build them houses.

*A good
Midwife
described.*

*Exo. I. 15.
Shiphrab
Puah.
Exod. I.
17. and
ver. 20
and 21.*

By this description I tell you only how the best Midwife must be qualified; let me hear from you somewhat of your experience and skill, that I may the better judge of your abilities, and approve of them. First, then Mrs. let me know how women are delivered?

Eutrap. Women are variously delivered, some on their bed, that is to say,

*How wo-
men are
delivered.*

lay, o'rethwart the hardest bed, with their faces upward, with their feet closed, doubled, and covered. But if she be not so tired out that of necessity she must be delivered on the bed, remove her to the stool: now the stool must be strong, and cut with a hole, in the shape of the moon, as high as a Barbers chair, that the Midwife sitting upon a lower stool, may the better bring the infant from the upper parts; the womans face being still from her. Then let her attend with her finger dipped in warm oyle of sweet Almonds, or Lillies, moved about the orifice of the matrix, that the secundine (called the afterburden) may the easier fall out. Then let those that are about her (which need not be above three at a time, that is to say, on each side one, and one at her back) perswade her not to cry out, but to keep in her breath what she may, that the spirits may descend, and be exposed downwards, to depress the *Diaphragma* (or Midriff) especially when her throwes are upon her. If the follicle be

The stool described.

The Midwives posture.

Her office.


The number of her assistants.

Not to cry out.





B. the Back of the
o o o o. the feet
a a. rests for
r r. the ring in
the Moone
c c c c. the
round the
out the



The Midwives Office, her Assistants.

be not broken after a long while, it may be broken, carefully, with the nail of the finger, and thrusting the finger in by degrees to open it. But often times the orifice openeth naturally, by reason of the humors that flow out by it. But alwaies this caution must be observed by the Midwife, that the infant fall not suddenly out, lest that endanger too sudden a quassation both of the head and shoulders. But the humors flowing, and the orifice so open, the Midwife may take hold of it, and moving it to and fro, bring it to the birth (according to the natural posture described before in the fourth Section) which must be done at such a time when the orifice of the womb openeth it self, and not otherwise, lest with hastiness the flux of blood (which alwaies attends the birth) be too immoderate, and so the matrix it self come forth. When the infant begins to come forth, let the Midwife take and receive it in a cloth in her hands, and let it come down together with the secundine.

A Caution.

Against
over-hastiness.

Falling
out of the
matrix.

Infant,
how to be
received.

After

30
Cautions, & how the navil must be cut.

Ομφαλο-
τομία.

After the child hath rested a while, the navil must be cut four inches in length, with a sharp pen-knife, being sufficiently tied with a strong double silk in two places, and cut betwixt the knots, to prevent as well a flux of blood in the infant as in the mother. After it is cut off, dry up the coagulated blood, with burnt silk, or some astringent powder, of which, take this description ;

An astringent powder.

R^e. of Aloes, Frankincense, Dragons-blood, of each a drachm; of burnt Harts-horn, sealed earth (called *Terra sigillata*) fine flour, of each two drachms; of the wooll of Hares shread small, half an ounce; of these make a fine powder.

As to the washing of the child, and swathing, I need not give you any account, I suppose you take it for granted, that most women understand that I only here shew you the shape of the stool I use, which, I hope, you will not disapprove of, though all Midwives (nay few) have them, or use them.

Dr. Philadelphos, I like, Mrs. the use
of

of your stool, as being most useful, and especially by reason of the skirt of cloth that usually ought to be about ^{* Of a} it, to keep away the air, which gives ^{black colour.} me occasion to give you one necessary admonition by the way. Therefore ^{A Caution.} let all Midwives take heed that they expose not their women that are in labour to the cold air, but rather that they cover the privities with the secundine also whilest it is yet hot, or else with warm clothes presently after the birth. For, believe me, (neither is it only my opinion, but also the opinion of the most Learned Doctors) that ^{Rodericus a Castro parte, 2 lib. 4. cap. 12.} there is nothing worse to child-bearing women than the cold air, because that entering into the womb, the womb it self is distended, waxeth cold, and swelleth, and its orifices are shut, from whence cometh the menstruous matter, and thence arise grievous symptoms, and often times death it self. But as to the suppression of them, and their cure, we shall (by divine assistance) treat more largely e're we leave this subject in hand.

SECT.

The explanation of the figure.

This precedent figure is the form of a child lying in the womb (according as cut in *The Bartholinus*, in Page 197.) naked, and out of all its coats, both proper and common. The description of it appears by the explanation of these letters in it, *viz.*

AA Shews the parts of the *Chorion* dissected, and removed from their proper place.

B A portion of the membrane *Amnios*.

CC The membrane of the womb dissected.

DD The *placenta Uteri*, or *hepar uterinum*, being a fleshy substance full of many vessels, by which the infant receives its nourishment.

E The varication of the Vessels which makes up the navil string.

FF The navil string by which the *Umbili* or vessels are carried from the *placenta* to the navil.

GG The infant, as it lyes perfect in the womb near the time of travel.

H How the umbilical vessels are inserted into the navil of the infant.

SECT.

of
ng
ge
ts,
le-
ia-
ion
ro-
ips.
mb
ste-
of
re-
fels
the
the
t in
e in-
CT.

h The in-
fant, how
it lyeth in
the womb.



g
h
jo
h
w
ey
of
re
fo
in
th
pa
er
be
th
stu
po
be

SECT. VI.

Of the site of the child in the womb.

THE infant in the womb lyeth altogether bowed and contracted together, his knees to his belly, and head to his knees, the ankles being joyned to the buttocks, cross-legg'd, his hands lifted up towards his head, on which he so leaneth his head, that his eyes seem to be fixed to the thumbs of his hands, the one placed on the temples, the other on the cheeks; insomuch, that white spots may be seen in the skin, as if they had been fretted the one against the other. The former part of the body tends towards the lower part of the belly of the mother (if it be a male) and the hinder part towards the back; but if it be a female, the posture is clean contrary. But the usual posture is as in this figure which goes before.

The infant, how it lyeth in the womb.

D

SECT.

SECT. VII.

Of difficult births, whether præternatural; or whether they proceed from Causes external or internal.

Their causes.

Difficult births from external causes may be either, first, from excessive heat, dissolving the strength of the women; or second, excessive cold, condensing the womb; or third, from sweet things, often applied to the nostrils of the woman, that by smelling to sweet things she may recover her strength and faintings; for sweet smells do attract the womb upwards, and so render the birth more difficult.

Difficult birth from internal causes may be either, first, from the woman; second, from the womb; third, from the infant; fourth, from the membranes of the womb. 1. From the woman, as when she is too angry, too fearful,

ful, or too modest; or if she be in age above 40 years, from whence the muscles of the womb may be concluded to be dry, and so the less extensible; or, when she is so thick and fat, that the passages be narrow: Or, 2. From the womb it self, as, when it is so small, & nature so weak and feeble that it cannot expell the birth: Or, if there be any inflammation, or other preternatural affect in the privities, be it the stone, or hæmorrhoid's, or extraordinary costiveness; all which may so compress the womb with their weight, that it cannot expell the birth. 3. Is from the infant it self, as if it be of an unusual bigness, of a great head, or a monstrous birth, hydropical, gibbous, (that is crook-back'd) full of wind, dead in the womb, or lying there in a posture beyond nature; as when it comes overthwart, with the feet forward, and not the head, or if the thigh before the head. 4. From the membranes of the womb, as when they are so forcibly broken by the child in the womb that

Women of above 40 years bring forth with difficulty.

Inflammation.
The stone.
Costiveness.
Hæmorrhoids.

the moisture floweth thence, leaving the infant behind, that when the child should come forth, that moisture faileth; and so the membranes being dryer, maketh the birth the more difficult; or when it is so firm and solid that it is broken with much difficulty, and so makes the labour the harder.

SECT. VIII.

Of the Schemes, Fashions, and Figures of the birth lying in the womb, and how they are born, or may be born.

THE postures of the infant in the womb are generally four : First, they offer to come with their heads forward (which is the natural birth.) Secondly, with the feet forwards. Thirdly, overthwart. Fourthly, doubled; to all which the Midwives care and skill is required, but especially in the three later. But chiefly very many postures and schemes have been observed, and are to be found by continuance of practise; for that child that comes with his head forward, sometimes hath his head right as to the orifice of the matrix, but the rest of the body crooked, and sometimes overthwart : and sometimes the infant pitcheth his head either in the former part from the orifice, or

backward, or comes crooked; and sometimes also these schemes are without any rye as to the bottom of the matrix, and sometimes with it; sometimes also it puts forth one hand, or both, so as that they are twisted above the head: sometimes it cometh forward, with its feet asunder, and those fixed in the parts of the womb; sometimes the feet being doubled, it endeavours to come forth with the knees forward; sometimes it is so doubled, that it shews forth its little buttocks like one that is sitting; or contrarily may be so doubled, that you may find the soles of the feet joyned to the head in the orifice of the matrix; but those that lye o'rethwart, sometimes lye on one side, and sometimes with the face upwards, and sometimes downwards: But if there be twins, then that which presenteth it self fairest, must be laid hold on, and the other put back. As to all which, the next 15 or 16 Sections will not only furnish with schemes, but with directions. Hitherto having described the Midwife and her

her office, together with the size of the infant in the womb, as natural; together with difficult births in general, and their causes. It is reasonable, (good Mrs. *Entrapelia*) that we discourse of præternatural births, because those bring the greatest danger with them, both to the mother and infant.

SECT. IX.

Scheme the first.

Of præternatural Births.

DR. *Philad.* Courteous Mrs. *Entra-* Quest.
pelia, If you perceive a child come with his feet forwards, and the hands drawn downwards to the thighs, according to this next ensuing form, How will you deliver the woman?

Entrap.



Answer.

Eutrap. In this, I will take care to be furnished with Oyles, and convenient liniments, and only to help the coming forth of the infant, by anointing and cherishing it, lest it go back again, but that it may come forth the same way as it

it began. But first of all I shall take care, that both arms of the infant so stretch- ed downwards, be so secured by me, that the infant may not have power to draw them back again, but that I may compell it to come forth, after this very same manner. But if the infant breaking forth after this manner, and by reason of its bigness as well as his arms drawn down, be so streightned by the narrowness of the matrix, that of it self it cannot wholly come to the birth; then the womb of the woman is to be annointed with oyle of Lillies, *Oyle.* or sweet Almonds, and some sneezing *Opus est* Powder of Hellebor, &c. blowed up *Ellebor.* into her nose, to help the sending forth of the birth, and the womb gently to be compressed with both hands, that it tend not upwards, but downwards, as it ought, untill it comes forth entirely.

SECT. X.

Scheme the Second.

2 Quest.

DR. *Philadel.* But, tell me, I pray,
Mrs. Entrapelia; What if an in-
 fant come with the feet forward, and
 the hands lifted up above the head, and
 not drawn downwards to the thighs,
 (as in the following figure) what
 course will you take with most safety?

Entrap



43

Eutrap. Sir, I am not at all to receive Answ.
 so lying, except the infant be very
 small and little, and the matrix so ex-
 tensive, and open, that it may be hoped
 safe delivery, both to the woman and
 to the child; neither must I receive it
 before

44 *The second preternatural Birth cured,*
before the matrix and the infant be dilig-
ently anointed. But it were much
better to thrust back the infant into the
womb, and to turn it to the right form
which may be done after this manner.
Let the woman lye on her back upon
a bed, with her buttocks raised higher,
and her head lower; which done, I
must swathe her belly toward the mid-
riff gently, that I may drive back the
infant again into the womb, by which
means it may give an occasion of co-
ming forth in another form; but above
all, I must take care to turn the face of
the infant toward the back of the mo-
ther, and then I must lift up the buttocks
and thighes of the infant toward the
navil of the mother, that it may hasten
toward a lawful birth: and there can-
not be a safer experiment in this case,
(as I conceive) which is also most use-
ful in such births as come præternatu-
rally.

SECT

SECT. XI.

Scheme the Third.

P*Hiladelphos*; I pray forsooth tell; *Quest.*
me, If the infant happen to come
forth but with one foot, and the arms
let down to the sides, but the other foot
turned backwards; How will you
help?

Eutrap. In this case, Sir, I must not *Answer.*
trouble the woman, but must bring
her to her bed again, and so by the as-
sistance of other women, bend her, and
turn her after the same manner as was
formerly proposed, putting back also
the other foot into the womb; which
done, she must often tumble her self
upon her bed, till I find the infant in
some measure turned, and the woman
brought fitly to her labour, and helped
with all means possibly to be used. And
this kind of tossing and tumbling may
be used in all births, where the infant
appears



46

appears after an unsapt manner : In the mean time, when there is need, she ought to be refreshed with such Physicall means as may be proper. But if it shall happen that either by the rolling to and fro of the woman, or my industry

try, that the foot so bent back come right to the birth; then I must take care that (laying hold of the arms otherwise drawn downwards toward the sides) I bring the infant handsomely out, so as is answered in the first Chapter.

SECT. XII.

Scheme the Fourth.

P*hiladelphos*; If an infant lye a-cross Quest.
on the one side, or on its back,
with the hands and feet up; how will
you help it?

Eutrapelia; Sir, In this case and con- Answer.
dition, I must not trouble the woman,
nor expect the infant to be born so ly-
ing, which without some way of turn-
ing is impossible. Therefore I am to
take care that I reduce it to the true
form of a natural birth, by lifting up
the



48

the buttocks, and directing the head to the birth; and if this course succeed not, to see that by often rolling upon the bed, as aforesaid, the infant return to its right form of lying.

SECT.

SECT. XIII.

Scheme the Fifth.

P*Heladel.* Tell me, *Mrs. Eutrapelia*, & *Quest.*
What if the infant happen to ha-
pen to the birth with his arms and legs
distorted and crooked, according to
his figure; How then will you help?

E

Eutrap.



Answer.

Entrap. As things so stand, Sir, must not endeavour the birth of the child, but must bring her from the sto to the bed, where I must press back the womb as before-said, or must desire her to roul her self about, till the insa

ir,
f th
sto
k th
def
infa



The sixth preternatural Birth cured.
 is turned to a more commodious posture : And if this course prevail not, I must endeavour to joyn both feet together, and, if possible, must bring down the hands so to the sides, that I may direct it to the birth. But the safest way is, that it be converted, in the womb, to its right posture.

SECT. XIV.

Scheme the Sixth.

DR. *Philadel.* Tell me, Midwife, ^{6 Quest.} what if the infant fall down with both the knees bent, and the hands hanging down to the thighs; How will you go to work?

Eutrap. Here, Doctor, I must with ^{Answer.} my right hand lift up both knees upward, till the feet happen to come forth foremost, then with my left hand must lay hold on the feet, and with my right hand keep the hands to the sides,

sides, and encourage the infant toward the birth. But if this way be not thought safe enough, I must bring the woman to the bed, where lying in such a posture as before, she shall so rouse her self up and down, till the infant come to a better and more commodious posture.

SECT. XV.

Scheme the Seventh.

7 Quest.

DR. *Philadel.* But, Mrs. *Eutrapelia*, What if the infant come out hastily with one hand, and the other hand down towards the side, and the feet stretched out streight into the womb according to this figure; How will you receive it?

Eutrap



53

Entrap. May it please you, Sir, I am *Answer*
 not at all to receive it so, nor to suffer
 it to proceed farther toward the birth;
 but must bring her to the bed, where
 her head must lye lower than her but-
 tocks; then I must swath her belly
 E 3 gently,

The eighth preternatural Birth carefully, that the infant may fall back again into the womb: but if it fall not back of its own accord, I must put in my hand, and press back the shoulders, and must reduce the arm that hanged out to the side, that it may be disposed of to a natural form in the womb, and so may come forth easily.

SECT. XVI.

Scheme the Eighth.

3. Quest.

DR. Philadel. But, Mrs, Suppose the infant come forth with both hands stretched forth above the head, and the feet streight stretched into the womb, which is here figured, and is much more dangerous than the former?

Entrap



55

Entrap. 'Tis true, Sir, this posture is *Answer*
much more dangerous than the former;
but I shall take all the care I can to
bring back again this birth into the
womb wholly. And first of all, I shall
annoint my hands, and the womb of the
woman;

E 4

woman;

woman, with oyles for this purpose, (for this requires no small labour) then, if possible, with my other hand shall drive it back so by the shoulders, that it may wholly fall back into the womb: And again, lest the infant should return to the same form of birth, I must put in my hands, and bring down the arms of the infant to the sides, and by that means bring it to the form of a natural birth. If this course take not, I must bring the woman to the bed, where, after she hath lain quiet a while, I must proceed after the same manner as I have before delivered: and if this also be to no purpose, and that it neither be changed to another form, she must be brought to the stool; and the womb, by the help of the women that are assistants, must be depressed on both sides, and downwards: And (my hands being annointed as before-said, together with the womb, and both the arms as they come) I must do what I can to join them together, and so receive it as it comes forth. And in this birth, there

is the less danger, if that I or any other Midwife do our duties with all possible diligence, and in case the infant be not too weak.

SECT. XVII.

Scheme the ninth.

P*Hiladel.* But I beseech you, Mrs. ⁹ *Quest.*
Eutrap. How will you deliver a woman of a child that falls down with its buttocks forward, and the hands spread over the head, according to this figure ?

Eutrap.



Answer.

Entrap. Here, Sir, I must annoint my hand as above-said, and putting it up, must lift up the fundament of the child, and turn the head to the Birth. But, in this case I must not make too much haste, lest it fall into some worser form; neither

neither is it possible that a child should be so born, without great loss to the mother and the infant; therefore, if it cannot be turned with the hand, she must be brought to the bed, where, if she be very weak, she may be refreshed with convenient meats and cordials, and then often proceeded with as is said before, untill the infant shall come to a more commodious form of birth.

SECT. XVIII.

Scheme the tenth.

DR. *Philad.* But sometimes (Mrs.) it happens that it offers it self with its shoulders forwards, and the head turned backwards, but the feet and hands lifted up, as in the ensuing figure; How will you help here?

Entrap.

60 The tenth preternatural Birth cured.



60 *Entrep.* In this case, Sir; I must in
the first place move backward the
shoulders of the infant, that it may first
appear with the head forward; and
this may easily be done, because the
shoulders being but a little up, the head
of

The eleventh preternatural birth cured.
of it self will fall down to the orifice
of the womb, as being nearest to it.
But if there must be any other way at-
tempted, she must be brought back to
the bed, and then so stirred and rouled,
and used according to those directions
formerly hinted.

SECT. XIX.

Scheme the Eleventh.

DR. *Philadel.* Mrs, I fear I trouble 11 Quest.
you with many Questions; be
pleased to satisfy me in this, and four
or five more, and I shall forbear.
What then if the infant incline to the
birth with the hands and feet together,
as if it stood upon all four, with the
back upward into the womb, (as in this
figure) What, I say, will you do?

Entrap.

The eleventh preternatural birth cured,



F 62

Answer. *Entrep.* Here, Sir, I must take care, lest some danger happen from this difficult and unshapely figure ; therefore I must do thus. I must so move up the feet of the infant, that I may handle the head, and do what I can to direct that first

The twelfth praternatural birth cured.

first to the birth: I must also move up the arms, lest of their own accord they fall down to the sides of the womb. And if this way succeed not, she must be brought back to the bed, and the same means used for the turning of the infant as hath been formerly described.

SECT. XX.

Scheme the Twelfth.

P*Hiladel.* Sometimes, Mrs. it falls as Quest.
out, that (contrary to the former shape) the infant falls down upon its breast, with the hands and feet cast backward into the womb, as in this figure; what will you do in such a condition?

Entrap.

Answer.



F 64

Eutrap. Truly, Sir, this case is the most dangerous of all hitherto proposed. First, therefore, I must carefully annoint both my hands, and also the womb of the woman; which done, I must enquire after the arms of the infant,

fast, and lay hold of them so, till I can lay hold of the head also, and with all care hold it so fast, that I may direct the head first to the birth; next I must dispose of them to the sides; for this being done, the birth will come forth the sooner, and with less danger; but if this succeed not, it will be safest to bring the woman to the bed, and to proceed as formerly shewed; that, if perhaps, by this kind of delay, the infant may accommodate it self to a more fit posture for the birth.

SECT. XXI.

Scheme the thirteenth.

the
po-
ully
the
e, I
in-
ant,

DR. *Philadel.* There being the same reason in twins as in a single birth, except that the single birth is natural, and the twins not so; certainly the same method must be observed (Mrs.) tell me then, if there be two or more,

F

and

The 13th. preternatural birth cured.

and all come forth with their heads toward the birth; What is to be done?



Answer.

Entrap. Here, Sir, I must observe that which lyeth readiest and fittest in the womb, and first receive that, and not to let the other go till the first is born,

born, lest it turn into another shape by sliding back again into the womb; but the one being born, I must presently lay hold on the other. Now, this birth will be easier, and without danger, because the first birth hath made the way for the second so plain, that it may come forth without any difficulty at all. But in this birth I must take care that I bring forth the after-burden timely enough, lest that the womb, being freed from her infants, presently fall down, and so keep in the secundine or after-burden with great danger.

After-
burden.

SECT. XXII.

Scheme the fourteenth.

DR. Philadel. But, Mrs. What if there be twins; and they both come præternaturally with their feet forward, as in this figure; what course will you take?

F 2

Entrap.



Ans ver.

Entrap. This birth, Sir, is dangerous enough, and yet it is to be mended by the prudence of a discreet Midwife. Wherefore, I must anoint the womb of the woman, that the passages may be the easier for the infant; which be

The 14th. praternatural birth consid-
 ing done, I must take care to lay hold
 of the arms of one of them, and bring-
 ing them down to the sides, secure
 them so, that I may lightly promote
 the head to the birth; and the first be-
 ing born, I must presently proceed with
 the other after the same manner: but
 if I can lay hold of neither of their arms,
 so that there is no good hopes of a hap-
 py birth, I must have recourse to the
 former method; if at least the infants
 may come into the world by that pains
 and conversion which is wrought upon
 the bed.

SECT. XXIII.

Scheme the fifteenth.

DR. Philadel. I come now to the last 15. Quest.
 praternatural birth of twins. If
 then there be twins, (these forms being
 compound as of a natural and prater-
 natural birth) the one coming down
 F 3 with

The 15th. preternatural birth cured,
with the feet, what is to be done in this
case?



F

70

Answer.

Entrap. Where infants offer them-
selves after this manner; I must first
bring forth that which presents it self
with a natural form, and must move

up

up the other, that is with the feet forward, and if possible, cause it so to return into the womb; that that birth also may be disposed of to a natural birth; but if it cannot be converted to be in a better posture, I must lay hold presently on the hands, and encourage it to the birth. But it were safer that this should be brought to a natural form; to which end I must diligently endeavour it, by appointing, directing, moving it, rumbling and rousing the woman, lest perhaps the womb be hurt by the form of such an unnatural birth, and the privities swell with * wind, from whence the birth cannot come forth without danger, or be hindred too long: All which danger may with provident care be avoided, or at the least very much corrected and amended.

See the page toward the latter end of the fifth section.

F 4

SECT.

SECT. XXIV.

Scheme the sixteenth.

16 Quest.

DR. *Philadelphus*; Courteous *Mrs. Eutrapelia*; I have hitherto troubled you with many Questions, that I might not only be sure of your abilities, but also give testimony of your sufficiency, if need require. I have now only one Question more, and then I have done as to these postures and schemes. And this, though the last, surely is a miraculous posture. What if the infant be so involved in the womb (the head and the neck being of such a length) that it is so bent back, that the face lieth betwixt the buttocks, the right hand to the left region of the reins, but the left hand to the knee of the same side; the right leg being across the left, in form of the letter X, and both leggs bent up toward the breast?

Eutrap.



me that a Midwife must have a good
 memory) I remember a learned Do-
 ctor, not long since acquainted me with
 such a posture * This
 had from
 to was
 conde
 he col
 also to
 there ca
 man had
 given to
 tate be
 throws, but
 son of her
 birth, and
 port the
 ally accom
 out that
Answer. Worthy Dr. This case is
 her hardest of any that hitherto you
 have propounded to me; and though it
 may never fall out to be so in vogue as
 amongst you, yet (because, in your de-
 scription of the best Midwife, you tell
 me

* Galie
 elius Fe-
 datus
 Midwif-
 Causa
 the first
 Ophir-
 lion, Lxiv

but look
 water

Answer.

† Guli-
elmus Fa-
bricius
Hildanus,
Century,
the sixth;
Observa-
tion, Lxiv.

Blood and
water.


me that a Midwife must have a good memory) I remember a learned Doctor, not long since acquainted me with such a posture, which he told me he had from the hands of an expert * Chirurgion and Physician, whose wife also was an expert Midwife; and the course the Midwife took in such a case he told me was this, which must serve also for my answer, because I think there cannot be a better. After the woman had been eight daies in labour, and given over by all Midwives as desperate, being in a violent Fever, with no throws, but very weak, and (by reason of hot medicines given to expel the birth, and strong wines given to support the spirits) those humors that usually accompany the infant had so flowed out, that the genitals were so dry and closed, that they would scarce admit the probation of two fingers. This method was used: First, instead of wine she gave her good store of Almonds milk; and because her belly was very costive, she gave her Clysters; and to keep

Through the paternal and maternal blood
To keep up her spirits she gave her Cordi-
als, (of which in their order.) She laid
plaisters to her hand-wrists, and anoin-
ted the whole region of the belly, hips,
loins, the rump-bone, and privities, with *Qz. sacrum,*
Rodyne Oyles, with emollient and re-
laxing Unguents; and then she made
a triangular bagg stuff'd with emolli-
ent and relaxing herbs, boyled in wa-
ter, according to this description, (and
of which more hereafter.)

75 The 16th patient was cured.

She was cured by the use of the
 (of which in the order) she said

The de-
 scription of
 the bagg.



F. 76

It is of such a bigness, as that it might
 cover the lower part of the belly, and
 the privities, and with tapes fitted to
 the corners was applied hot, and con-
 tinued on some hours; after which
 though her hand were well anointed

1

she could scarce thrust in the top of her finger into the orifice of the womb, the womb was so closed, and the infant so depressed toward the shere-bone, by reason of the precedent throws and pangs. But at length, when with much labour and industry the genitals were somewhat dilated, that she could get in her fingers farther, she found the loyns and the right hand of the child first offer itself to the birth: that therefore she might correct this monstrous and so inverted posture of the infant so doubled and twisted, and either perswade the head or the feet to come forward, she useth the best of her skill, but to little purpose, the genitals were so narrow and streight. But yet not giving off her endeavours, she did deliver her within eight hours after she came to her assistance; but the child was dead.

Called the
Os pubis.

Dr. Phila. Mrs. You give a very good account of an expert Midwives practice, which you may follow with safety, expecting the success from Heaven; but

The *16th* *præternatural Birth* called,

but it is no wonder the child should be still-born, (as you phrase it,) for being so turned and doubled, the child must of necessity be strangled in the womb. Having thus run through births, as well natural as præternatural, I shall give you the reason (and that in my own opinion) why these births are of so various & different postures in the womb, observing not alwaies the same posture

The reason of these different postures.

and 'tis thus. Because the infant swimming in water; and moving it self sometimes this way, sometimes the other way; and is bent and tumbled several waies; insomuch, that sometimes it is strangely entangled with its own navel-cord, which I am confident you have seen in your own experience oftentimes.

SECT

Of a *Mola*, or false Conception.

SECT. XXV.

Of a *Mola*.

DR. Philadel. We have hitherto, Quest.
Mrs, discoursed of births natural
and præternatural; there is some-
what more not like these, but often
with them, and without them, which
Physitians call a *Mola*, but you call it a
false Conception: I pray, Mrs, there-
fore, what is that *Mola*, or false Con-
ception?

Eustrap. A *Mola*, (Mr. Doctor,) ge- Answer.
nerally called a false conception, is 2 A *Mola*, or
a hard inform tumor, full of pores, (like false Con-
many ugly eyes) scarce to be cut by ception,
knife, of a stony substance to touch, what.
and round, appearing sometimes at the
entrance of the womb, sometimes over
the whole womb, and is generally
thought (by the * Learnedst Doctors) * Fernelius,
to be begotten by the woman her self lib. vii, cap.
without the help of a man. (*Qualis &* de semi-
narum se-
quanta mine.

Of a Mola, or false Conception

Frax. Va-
lesii con-
troversi-
arum, lib.
II. cap. 6.
in fine.
Ex paucis
femine eor;
impur.

Valesius,
as before
quoted.

Non caret
effectu
quod vol-
lure dicit.

quanta ea sit vis declarant rudiores mola-
quas femina quandoq; proprii duntaxat
seminis vi, nullo viri concubitu concipi-
unt;) And so another Dr. in these
words (I beg your pardon, Mrs. that
I am enforced to use authorities in La-
tine) (some affirming that it cannot be
without the seed of the man.)

*Hinc cognosces, quod femina saepe ex
se sola solet utero concipere; foetus ta-
men ad perfectionem nunquam perducitur,
ex his tamen imperfectis conceptionibus
quae dicuntur, mola matricis generantur
& informia carnis frustra.* And there-
fore inanimate, because not generated
by two, without the help of a man
(I say) by the force of her own seed,
mixing it self with much menstruuous
blood, reteined in the womb, which by
immoderate heat it changeth into the
shape of flesh, and that altogether pre-
ternatural, as is the stone in the bladder,
and in the fingers of gouty persons
&c.

Dr. Philadel. Well, Mrs. since 'tis
so (as in truth it is; tell me, I pray
when

of a false conception, but differeth, &c.

wherein it differs from a true Con-
ception?

The dif-
ference be-
twixt a
true and
false con-
ception.

Eutrap. It may, Sir, be like a true
Conception in three respects, yet differ
in six. As first, 'Tis true that a false
conception stoppeth the monethly
terms as doth the true.

Secondly, The belly also doth swell,
and the breasts grow big.

Thirdly, There is an alteration both
in the colour and appetite; but yet they
differ in these six ensuing following
waies; as,

First, A false conception hath no or-
dinary nor periodical motion, neither
doth it stir from side to side, except it
be pressed.

Secondly, In a false conception the
belly is harder, and the feet are much
more swelled.

Thirdly, The woman is more heavy
and unweeldy, and not so nimble as
with a true conception.

Fourthly, The breasts swell not so
much as in a true conception.

Fifthly, The whole body grows soft,

G

and

and consumes away in a false conception, but not so in a true.

Sixthly, a false conception may be moved in three moneths, but the child stirreth not till after three moneths, or usually in the fourth moneth: And again, the birth of an infant never exceeds the eleventh moneth, whereas a false conception may continue for fourteen years, or as long as they live.

A *Mola*
may lye
14 years.

Tympany,
what?

Hydrops uterinus.

Moreover, there may be a Tympanie caused by air included in the womb. Or else there may be a Dropsie, by reason of the many humors contained in the womb, both which may give a false supposition of being with child; but these also are easily distinguish'd from a false conception. A Tympanie may be moved from place to place, but not the other: A Tympanie will found, if lightly stricken, but not the other; and a Dropsie, caused by those many humors as aforesaid, will shew some marks, being depressed with the fingers, whereas a *Mola* is hard, and yieldeth not to the pulsation or depression

How different from a Dropsie.

83

pression of the fingers. And lastly, in both these most commonly the thighs swell, but in a false conception or *mola* the thighs wither, and are lesser. Now having discoursed of these things, Sir; if you please, in the next place, let us discourse of the secundine, or after-bur-

den.
Dr. Philadel. I shall, Mrs. very willingly.

SECT. XXVI.

Of the Secundine, or After-burden.

DR. *Philadelphos*, Come then, Mrs if you please, tell me what the Secundine is.


After-bur-
den, what.

Eutrap. The Secundine is that in which the infant lyeth in the womb and may be called a second house, or covering, made by the womb for a receptacle of the infant; and it hath with it three membranes; but how Physicians name them, I know not.

Dr. I will inform you then, if you please, with their names and uses; and describe them to you in these two figures following, which are explained by letters also, as may appear.

The explanation of the first Figure.

BBB Signifies that part of the *Secundine* called the *Chorion*, which is the prop



prop
one

Ulm
thro

I
and

bra
wi

and
an

fan
ur
no

ab
no

The explanation of the first figure.
Top of all the vessels of the young
one.

CCC Denotes the branches of the
Umbilical veins and arteries dispersed
through the *Chorion*.

EEE The membrane called *Amnios*,
and is the thinnest of all the mem-
branes, and is white, soft, and shining,
with few (and those very small) veins
and arteries dispersed among the folds;
and this is the very next coat to the in-
fant, and is the receptacle for sweat and
urine; that membrane called *Allantois*
not to be found in men, though an
Urachus be to be found.

DD Denotes all the vessels meeting
about the navil, by which the infant is
nourished.

36 The explanation of the second figure.

P. Q Denotes the membrane called *Amnios*, and is the first that involveth the infant.

RRRR.
Epar ute-
rinum, or,
Placenta
uteri.

RRRR The Liver, or cake of the womb, or after-burden, by which the infant receives nourishment, and this is fastned to the womb.

SS The inward and outward veins.

m. m. m. The Umbilical vein, with its branches dispersed into the after-burden, by which the child is nourished, and upon which it lyeth, as upon a pillow, though in the *Amnios* it swimmeth as in a bath.

VV How all the vessels meet about the navil.


b. b. b Denotes the infant newly born, annexed to the *secundine*, the navil-string not cut.

Of the *secundine*.

Dr. *Philad.* You see, Mrs. these Schemes, with their uses and explanation ; I shall now discourse more particularly of the membranes themselves. The after-burden, commonly called the *secundine*, so called, either because
it

re.
cal
vol-
the
the
s is
.
th
r-
n-
a
n-
r
e
g

Chorion *Amnios*





it is as it were a second place, mansion,
and receptacle of the infant from the
womb; or else, because this membrane
is called the after-birth, or second birth,
as coming forth after the infant, which,
if it stay behind, brings great mischief,
as shall be spoken to at the later end of
this Treatise and Section.

The Se-
cundine
what, and
why so
called.

The first membrane is called *Amni-*
os, and this membrane covers the infant
from the head to foot; insomuch, that
part of it sticks to the head of the infant
when it is born, which they call a hel-
met, though this is not alwaies, being
left behind with the *secundine* in diffi-
cult labours: this is so called from its
softness and thinness; others resemble it
to white paper, or a shirt, and is the
thinnest of all, in which is found great
plenty of humors, caused of urine and
sweat, in which the infant swimmeth
as in a bath, and lyeth so easie and se-
cure, lest it should fall foul against those
neighbouring parts that are harder;
and besides that, when the membrane
is broken in the birth, this water break-
ing

A v G
αυρίω,
The first
Galea.

Χόριον
καὶ τὸ
χόριον,
The se-
cond.

Επαρτή-
σιον.

ing out, may make the passages by the neck of the womb more plain and slippery for the infant; and this membrane also is every where concluded within the second, which is called *Chorion*, because it wraps the infant like a ring; and this immediately compasseth the former, to which it is joyned as it were in a round figure, like to a cake, whose inward and hollow part it covers and involves, and doth extend it self to its dimensions, and can scarce be separated from it, but doth firmly knit and bear up the vessels of the after-burden, which immediately sticks to the womb by a certain fleshy mass that is formed, being round, and of somewhat a ruddy colour, not compassing the whole infant, by reason of innumerable springs of veins and arteries by which the blood is inter-woven, as if it were poured in, and by which the infant is nourished. This towards the infant is smooth, but that part which is towards that fleshy round mass, is rougher.

This

This round fleshy substance is called *Of the*
the liver of the womb, or the cake of *Placenta*
the womb; which, having (a paren- *uteri, or*
chyma) such a substance as the liver *Eggs Ute-*
rinhath, no wonder if it should make and
prepare blood for the nourishment of
the infant. On that side towards the
womb it is rough, and unequal, like
clefts in a bak'd cake; and being cut
in this part, it sheweth an infinite com-
pany of fibres, which, if you trace,
they will bring you to the orifice of the
veins themselves. And, although there
be twins, or more, yet there is but one
placenta; for into one *placenta* so many
navil-strings are inserted (in divers
places) as there are young ones; though *Embryones.*
it may differ as to the bigness, accord-
ing to the body and condition of the
infant, yet the ground is still the same
in the diameter. The use serves as a
support of the umbilical vessels; for *The use of*
which it serves as a pillar; it is also *the Pla-*
called (*secundæ*) the secundine. The *Δευτέ-*
third is called *allantoïdes*; 'tis a coat *Ενν.*
betwixt the *Chorion* and *Amnios*; 'tis *The third.*
ALLAN-
τὶδης.
very

90 *Age of the Membranes of the secundine*
 very thin, weak, and narrow; it covers
 but half the young one; this is pro-
 perly like a swathe or girdle; and some
 say it is the receptacle of urine; but it
 being not to be found in mankind (there
 may be an *Urachus* to be found instead
 of it) I say no more of it. But these
 (being all called the after-birth) must
 come forth also; for being left behind,
 it brings the greatest inconveniences
 that can be imaginable. Let me know
 from you, Mrs. how many waies they
 may be hindred in their coming
 forth?

Answer.
 Weakness
 of the ma-
 trix.
 After-bur-
 den.
 Causes
 that hin-
 der.

Answer. *Entrap.* I shall, Sir, to the best of my
 knowledge. The first let may proceed
 from the weakness of the matrix,
 which often happeneth by the frequent
 force and motion of the infant, the dif-
 ficulty of the birth, and the continual
 distension, and straining of the matrix,
 by which it is so weakned, that it can-
 not expell the secundine of its own
 strength, as otherwise Nature usually
 doth. Secondly, if the secundine stick
 inwardly so fast to the matrix (which
 often-

Causes that stop the after-burden.

91

oftentimes it doth) by reason of the abundant superfluity of humors detained in the womb, with which the womb being infested, the secundine is easily fastned to it; and these I must pull out all together with my hand carefully, and no otherwise. Thirdly, if, as soon as the infant is born, all the waters which are within the matrix flow out, and leave the secundine dry, and the matrix also, with the neck of it, by reason of that are drier; for those waters make the passages slippery both for the infant and secundine also: Wherefore, these being come away, I must anoint the womb both within and without with oyles convenient. Fourthly, when the mouth of the matrix, by reason of the pains of child-bearing swell, as often it happens, except providently prevented. The fifth is, when in the first birth the mouth of the matrix is too streight and narrow; and for that reason, also, women that are fatter and grosser bring forth both the infant and secundine with more difficulty.

How the
after-bur-
den must
be drawn
out.

Secundine, how to be brought away.

Symptoms.

difficulty. Be it as it will, wheresoever these make but the least stay, I must endeavour, all that I can, to bring them forth: for when they are detained longer than their due time, they cause bad symptoms, as a horrible stench, which fumes up to the stomach, heart, liver, midriff, and so consequently to the brain; from whence ariseth great pains in the head, at the heart, decay of spirits, faintings, swoonings, often Convulsions, cold Sweats, Apoplexies, Epilepsies, sometimes Gangrenes, and often death it self: but of this Cure, hereafter, Sir, I shall beg your advice.

Quest.

Philadel. Mrs. you shall have it at your pleasure; you answer expertly; tell me now how they must be perswaded out?

Answer.

Entrap. I shall, Sir; I must first anoint my left hand with convenient oyles, and after I have laid hold of it, must not violently draw it away, nor yet force it directly downward, lest I draw down the womb and all together; but

Secundine, how to be brought away.

ut I must shake it lightly and gently
and fro, till I perswade it to follow
my intention; and whilst they are thus
retained, I must refresh her with Cau-
les, or Panatells, wherein the yelks of
eggs in Wine, with some Saffron and
Cinnamon strewed; or broth of a Hen
or Capon, with mace, saffron, and cin-
namon boyled in it. As to other means,
where the danger is more, I think it
ever best and safest to consult with
learned Physicians, or with experienc'd
Ladies, whose Closets are furnished
with choice præscriptions which they
have had from Doctors, in such ca-
ses.

*A Candle-
broth.*

Philadel. But, Mrs. we have former-
ly discoursed of Births, natural, and
ræternatural, with their respective
chemes. Tell me now, how you will
deliver a woman of a dead child? and
how of a false Conception, or *Mola*?
specially, where no pains or throws
are, which are most commonly occa-
sioned by the motion and force of the
child only alive (as hath been shewed
in

*A dead
child, how
deliver'd,
and how
a Mola.*

Secundine, how to be brought away.

Symp-
toms.

difficulty. Be it as it will, wheresoever these make but the least stay, I must endeavour, all that I can, to bring them forth: for when they are detained longer than their due time, they cause bad symptoms, as a horrible stench, which fumes up to the stomach, heart, liver, midriff, and so consequently to the brain; from whence ariseth great pain in the head, at the heart, decay of spirits, faintings, swoonings, often Convulsions, cold Sweats, Apoplexies, Epilepsies, sometimes Gangrenes, and often death it self: but of this Cure hereafter, Sir, I shall beg your advice.

Quest.

Philadel. Mrs. you shall have it at your pleasure; you answer expertly tell me now how they must be perswaded out?

Answer.

Entrap. I shall, Sir; I must first anoint my left hand with convenient oyles, and after I have laid hold of it must not violently draw it away, nor yet force it directly downward, lest I draw down the womb and all together
bu

Secundine;
how to be
brought
away.

but I must shake it lightly and gently to and fro, till I perswade it to follow my intention; and whilst they are thus reteined, I must refresh her with Candles, or Panatells, wherein the yelks of Eggs in Wine, with some Saffron and Cinnamon strewed; or broth of a Hen or Capon, with mace, saffron, and cinnamon boyled in it. As to other means, where the danger is more, I think it ever best and safest to consult with learned Physitians, or with experienc'd Ladies, whose Closets are furnished with choice præscriptions which they have had from Doctors, in such cases.

A Candle-broth.

Philadel. But, Mrs. we have formerly discoursed of Births, natural, and præternatural, with their respective schemes. Tell me now, how you will deliver a woman of a dead child? and how of a false Conception, or *Mola*? Especially, where no pains or throws are, which are most commonly occasioned by the motion and force of the child only alive (as hath been shewed in

A dead child, how delivered, and how a Mola.

24 Of a dead child, & false Conception cured.
in the 21th. Page, and 4th. Section?

Answer.

Entrap. Here, Sir, is great danger and difficulty. I have, by Gods blessing, with safety to the women, delivered them of many a dead child, and of a *Mola*, or false Conception, also; and believe the method of curing one of them, will serve to cure the other; as I have been informed by learned Physicians; but where Chirurgical Instruments, or other Physical means must be used, I ever recommend such a case to learned Physicians, and Chirurgeons, experts in Anatomy, both for assistance and direction.

SECT.

SECT. XXVII.

Of the signs of Conception in general, and the different Sexes in particular.

DR. *Philadelphos*. Good Mrs. *Eutrapelia*, vouchsafe me your observations about Conceptions, and let me understand what are the signs of Conception in general; and what signs distinguish the Sexes? Quest. Signs of Conception.

Eutrap. Although, Sir, 'tis hard to know whether a woman hath conceived yea or no, yet it may be conjectured by many experienced Arguments; as, for instance, Answer.

First, it is thought a credible sign of Conception, if a woman either the tenth day after coition, or sooner, perceive, by reason of any humors, any of her terms, be they whites, or reds. And, though the stopping of those be accounted for a sign, yet that fails often, because Stopping of the courses no sure sign.

Signs of Conception in general.

cause it may be as well before conception as after. But, waving this, let us find out other marks and prognosticks of a true conception, gathered from the state and condition of the woman herself, being seriously examined from head to foot.

Secondly; pains and giddiness in the head, and a mist over the sight, if they meet together, these portend conception.

Thirdly, the apples of the eyes are lessened, the eyes swell, and become swarthy; the veins of the eyes grow red, and are full with blood; the eyes sink, the eye-lids are remiss; divers colours are seen in the eyes, and are observed in a looking-glass; the veins betwixt the eyes and the nose are turgid with blood, and are seen clearer; the veins under the tongue are somewhat greenish.

Fourthly, the chest is warm, and the back cold.

Fifthly, the veins and arteries are turgid, and the pulse easier; the veins

in the breast are first black, then either yellow or blew.

Sixthly, The breasts grow big, and hard with pain; the nipple grows red; if she drinketh that which is cold, she feels cold in her breast.

Seventhly, there is a great loathing of meat and drink, and destruction of the natural appetite, with longings after various meats, with an absurd appetite, a continual vomiting, and weakness of stomach, sower belchings, loathing of wine, an inordinate pulsation of the heart, sudden joy, and after that, as sudden grief; pains about the navil, heaviness about the loins, swelling toward the bottom of the belly; inward pricking in the body; chilness of the outward parts, after coition; retention of the seed seven daies after copulation; about the beginning of conception a shooting pain about the back and belly. The courses are stop'd; for those veins from which they flow carry the blood (through certain holes that are at the end of them) for the nourish-

*Invicem
cedunt do-
lor & vo-
luptas.*

Acetabula.

H

ment

Milk, how
generated.

ment of the infant by the navil; and part of it is conveyed upwards into the breasts, and there is prepared for milk.

Eighthly, the thighs swell with pains, but the body is weaker, and the face pale.

Ninthly, the belly is costive, by reason of the compressure of the intestines. The urine is white, with a cloud swimming at the top, wherein are to be seen many atomes, like those observable in the beams of the sun: but, when in the first moneth many of these sink to the bottom, and the vessel in which it is, being shaken, it seems to be drawn out like to wooll. In the latter moneths the urine is reddish, or yellow, it becomes blackish, with a red cloud at the top. I will here-with relate to you two experiments, by which it may be known whether or no a woman hath conceived. And the first is this; Stop up a womans urine three daies in a urinal, at the end of which strain it (or, rather drop it through fine linnen,

Experi-
ments.

First.

linen) and if she hath conceived, you shall see little creatures like to lice; if these be red, 'tis a token of a male; but if white, they portend a female. But this is said to be sure; If a womans urine be put in a brass Bason, and stand there one night; if you put into it a bright needle, if she hath conceived, that needle will be bespeckled with red spots; but, if otherwise, it will be rusty all over.

Signs of a Male.

Experiments.

Dr. Philadel. These, 'tis true, may be promiscuous signs of Conception. But, Mrs. how know you the Sex, whether male, or female?

Quest.

Entrapelia. By these signs, Sir, usually; as First, If she hath conceived a male, the right eye moves oftner, and is better, as to its native colour, than the left. The belly is sharper about the navel. The right breast groweth turgid before the left, and the nipple is sooner changed. The milk increaseth sooner, and if it be milked out, and set in a glass in the sun, it will grow into a clear mass, not unlike to an oriental

Answer.
First.

Secondly,

Thirdly,

H 2

pearl;

Fourthly.

pearl; as also, if the courses appear about the 40th. day after the Conception. The right cheek is redder, and the whole colour of the face better, neither is she so heavy as otherwise; and the first stirring on the right side is the sixtieth day, and that strongly too; and the right foot moves first in walking; and in arising from a seat, the right foot is first apt to bear up the body.

Fifthly.

The pulse is more frequent on the right side than on the left.

Signs of a Female.

Now, the signs of a female are contrary; and these are most commonly the signs. The first motion after conception is felt the 90th. day, and that first in the left side.

The 90th. day.

Secondly, Females are born with more sickness; the thighs and privities swell, the colour is paler, the appetite stronger, and yet apt to loath that which is contrary to it.

Thirdly, the Courses appear about the 30th. day after conception.

Youth bring males.

Fourthly, the age of the woman is very considerable; for the younger

woman

women most commonly bring males, by reason of their greater heat in the womb: And the more aged females, by reason of the defect of heat contracted in the matrix, by their age; and females are more often generated by such Parents that are more cold and moist by nature, and of seed that is too moist, cold, and liquid.

Dr. Philadel. Since you have given such a character of the signs of Conception, and the distinction of Sexes; let me know by what signs you apprehend the infant to be well, and thrive in the womb, or not.

Eutrapelia, I shall, Sir. And first, if it be well, the breasts will be hard; but if otherwise, they will be flaccid, and a waterish humor will flow out of them (like to milk) of its own accord.

Secondly, if the courses flow too often out of the womb in the time of child-bearing, it is an argument of an unhealthy child. And, moreover, the fattest women commonly bring forth the weakest infants.

Thirdly, if a woman bring twins, the one a male, the other a female, there is great danger of the female, because they are nourished by a different aliment in the womb: but if they be both females, there is the less danger.

Fourthly, if the child be gotten in the time of the monthly terms, they are mix'd with untoward humors; from whence it is experienced that many leprous infants are begotten.

Superfeta-
tion, what.
Aristot.
Hist. Ani-
mal. Lib.
7. C. 4. Fifthly, if there be *superfatation*, the last conception seldom liveth. Now, *superfatation* is, when a woman having once conceived, conceiveth again after a certain time, which sometimes happeneth. Hence the Poets feign *Iphicles* and *Hercules* to be twins by *Alcmena* the wife of *Amphitrio*; the first, begotten by *Amphitrio*; but the last, viz. *Hercules*, begotten by *Jupiter*. But this by the way, although more instances might be alledged nearer home.

Signs of
a dead
child.

Sixthly, if a Dropsie overtake the pregnant woman, and that her nose, ears, and lips look red; it is a sign of a dead child.

Seventhly,

Seventhly, if the infant come forth after the ninth moneth, 'tis oftentimes very weak.

Eighthly, if a virgin conceive before her first flowers, it proves a lusty and perfect child.

Lastly, all these things promised, Note.

Midwives also usually observe, that as many knots as they find in the navil-string of an infant, so many males, they say, she will have. But, so much for Conception. Tell me now somewhat of Abortion, with its Causes and Signs.

S E C T. XXVIII.

Of Abortion.

Quest.

DR. Philadel. Tell me, Mrs. *Eutrapelia*, what is that which you call *Abortion*, or miscarrying?

Answer.

Eutrap. It is, to bring forth an untimely birth; which may proceed from divers causes, and those either internal or external,

Internal
Co yledons,
what.

First, from internal causes, as, from the infant it self; as, when the *Coyle-dons* (that is, the mouths of the vess. ls ending in the womb through vvhich the blood is conveyed into the vvomb from all parts of the body) are so infirm, that those vessels, by reason of their rarity and vveakness, are sooner broken; and so of consequence, an Abortion.

Secondly, if the tunicles (that is, the *f-curdine*) vvherein the infant is vvrap-ped, be so vveak, that it break, and the humor contained therein flowv out, by vvvhich the matrix is slippery & vveak,
and

Causes, and signs of Abortion.

107

and the infant being destitute of those humors, faileth. And also, vvhhen virulent moistures flowv-forth, and provoke the expulsive faculty of the womb.

Thirdly, the third cause is, vvhhen the Woman is so vveak and consuming in her self, that she vvithdrawvs the nourishment from the infant; insomuch, that it hath neither matter to growv by, nor to generate the parts and members of it.

Fourthly; the fourth cause may be the wideness of the orifice of the womb, and its overmuch moysture, and an evil temperature of qualities and ventosities included in the womb; as also Ulcers and Apostemations in the womb, besides other distempers; As are, too many Courses, too great a Flux of blood, too great a Looseness of the belly, or, too great Costiveness; a *Tenasmus*, (called commonly a Needing,) a Cough, a constant Sneezing, and all things that shake the body too much; and lastly, any acute sickness,

A cure to the Irish, where these distempers are Epidemical, and Sporadicall.

which

which doth so afflict the womans body that, by them, the infant is deprived of its nourishment.

Quest.

The external causes
of Abor-
tion.

Answer.

Philadel. Now then, Mrs. pray inform me vvhhat are the external causes of Abortion.

Eutrap. Sir, the external causes are many. As, first, to fall, to run, to leap, to ride, to exercise too immoderately, and to be smitten vvith strokes,

Again, too much cold, and too great heat; for over-much cold killeth the child, and too great heat intercepts the air from the infant, and so suffocareth it in the womb; and this may be done by hot baths, if women use them in the first moneths after their conception,

Thirdly, Stinking smells, as the snuff of a candle, or lamp, newly extinguished.

Fourthly, an absurd appetite, and manner of eating and drinking; as, to eat salt, coals, dirt, &c. by which, either ill humors, or a dangerous thirst are procured.

Fifthly, too great hunger; for by over-much

much fulness the infant is sooner suffocated, the passages appointed for nourishment being then sooner obstructed.

Sixthly, immoderate exercise and labours, overmuch sleep, and a continual laziness, unseasonable and unreasonable watchings; besides other accidents: As, sudden fury, great wrath, over-much fear and sorrow, sudden joy, and a dull appetite, longing for that which is not to be had, unlatiable copulation and lust.

Dr. Philadel. You have now discovered the causes of Abortion. What, I pray, (*Mrs. Entrapelia*) are the signs of Abortion? Quest.

Entrap. The signs of Abortion are Answer.
twofold. First, before conception in Signs.
those that use to miscarry; as, superfluous moisture, sudden and unusual fulness against nature, which was wont to be of slender and lean constitution; or, which are ever pained about the loyns and kidneys, or fall suddenly into other dangerous diseases.

• Suddenly,

Signs of Abortion, and of a dead child.

Signs of
Abortion.

Secondly, the signs of Abortion after conception are these, *viz.* when the breasts that at first were turgid and hard, are observed to grow flaccid and soft of a sudden; if there be too great a flux, and a continual flowing, of the terms. Moreover, if there be horrors, colds, pains in the head, or a swimming there be in the eyes; these be sure signs of Abortion.

Quest.

Dr. But, what are the signs of a dead child?

Answer.

Of a dead
child.

Entrap. Where the child is dead, Sir, there is no motion perceived; when the eyes of the woman sink, when her colour is turned into a tawny whiteness, when there are great pains about the navel and loyns, when, by reason of the lower parts being compressed, there happeneth a Strangury, a * *Tenasmus*. Again, when the ears, the lips, the top of the nostrils are taken with a pale coldness, and the face swells, and the belly (though it sinketh not yet) groweth soft; so that lying to either side by the touch there may be perceived

* A Need-
ing.

Of a dead child.

309

ceived a hard mass; as also a stinking
breath, an argument that the infant
doth begin to putrifie. These are ma-
nifest signs of a dead child. The cure
whereof I leave to the care of the ex-
pert Physicians and Chirurgeons.

stinking
breath a
sign that
the child
beginneth
to putrifie.

SECT.

SECT. XXIX.

Rules for Child-bearing Women.

E*urap.* According to your promise, I beseech you, Doctor, lay me down some Rules to be observed by Child-bearing women.

Dr. Philadel. Good Midwife, I shall, and that very necessary ones too, that she may know how to go on safely through (by Gods blessing) to the last hour, or by neglecting them, may make her delivery the harder : and I shall reduce them under ten heads.

First, let her be chearful; (not breaking her self with mourning, and careful anxiety) for this doth exhilarate the infant, and stirs up all the faculties, and confirms it in its parts and members.

Secondly, let her avoid all violent motion, and abstain from all hard labours, not rising up too hastily, not leaping, running, dancing, riding; not lacing

*Res sex
non natu-
rales.*

• Rules for Child-bearing Women.

being her self too freight, or carrying too heavy a burden; but surely sleep is very fit for her.

Thirdly, let her beware of sharp and cold winds, of excessive heat, anger, perturbations of the mind, affrights & terrors, over-much venery, and of intemperancy of eating and drinking.

Fourthly, let the diet of breeding women be frugal, and moderate, abstaining from gross meats hard of digestion; let her eat eggs, chickens, land-fowl, birds of the mountains, &c. variety of broths, grewels, panadoes, mutton, veal, lamb, kid, rabbits; she may use in her meats nutmeg and cinnamon; she may drink wine moderately.

Fifthly, in the first four moneths let her open no vein, use no cupping or scarifications, fontanells, nor use any pills, or other Physick, without the advice of a prudent Physitian; for in these moneths the ligaments of the child are very tender, soft, and feeble; and therefore the easier destroyed, and the nourishment kept from him.

Sixth-

Against
Cottive-
ness.

Supposito-
ries.

Sixthly, if it shall happen that the woman be too costive (by which many miscarry) let her boyl spinage, and lettuce, well buttered, with salt and vinegar, or wine; which, if they will not move the belly, let her use suppositories, with honey, and the yelk of an egg, or of *Castile-soap*: and if these common things will not do, let her advise with an expert Physitian.

Symptoms.

Against
fainting.

Seventhly, if it happen that she conceive with grievous symptoms, and after conception is troubled with faintings, let her take this Cordial following. Take of *Sorrel-water*, and red *Rose-water*, of each one ounce; of *Cinamon-water* one ounce; of *Manna Christi* pearled, (called in the Shop *Saccharum tabulatum & perlatum simplex*) half an ounce, or as much *Diamargariton*: this may be taken as need requires.

Eighthly, if she fear that she may come too soon (that is, before her time) as in the seventh moneth, or some other unseasonable time, and feels throws,

of child-bearing, occasioned by immoderate exercise; too great costiveness; from a Fever, or some other disease; Let her sit over a suffumigation of Frankincense; for that contributes no small strength both to the matrix, and to the infant also.

A suffumigation.

Ninthly, if she nauseate her meat, she may use a plaister of Mastich to her stomach, and take this following Cordial every morning, fasting, to strengthen her stomach.

Take syrup of Pomegranates one ounce and half; of Mosch and Amber-reece, of each two grains; of *Lignum Aloes* finely powdered, one scruple; of Cinamon half a scruple; the water of Sorrel three ounces; let these be mingled, and drank off blood-warm.

The Cordial.

Lastly, if, whilst she goeth with child, she perceiveth her terms, let her eat milk made boyle with red-hot steel, and in that let Plantain and Comfrey be boyled. But, in all these cases, let her advise with learned Physicians, which will direct them with medicines,

Against terms in Child-bearing,

and advice from time to time. I shall now treat of some few distempers incident to child-bed; and leave you some choice Remedies in the following Sections; and then wind up all.

SECT.

SECT. XXX.

*Of the Retention of the Lochia,
(in Child-bed) known by the
name of Courses (though im-
properly so called) and of their
immoderate Flux.*

THE retention or suppression of
the *Lochia* in Child-bed, by the
consent of *Hippocrates*, as well as other
Learned Doctors; (to which daily ex-
perience may be added;) brings the
greatest inconveniences to women, and
often death it self. I shall therefore in
this Section treat of the purgations of
women in Child-bed, which *Hippo-
crates* determines to be at the most but
30 daies, if the woman bring forth a
female; and 30 daies to a male. But
Mithal saith, that a woman is passed all
danger after 20 daies purgation: Now,
if women be not sufficiently purged in
Child-bed; either it causeth a great
Phleg-

*Hippoc.
lib. de nat.
tura pueri*

*Purgations
of women
in Child-
bed, Hippo-
crates
ibid.*

*By the Le-
vitical Law
33 daies
was in case
of a male,
Levit. cha.
12: verse 4:
and for a
female, 66
daies, vt. 9.*

I 2

* A swelling, hot and red.

Cause.

Ambient air.

See Sect. the fifth.

The Cure.
A Clyster.

* *Aristol - chia longa*
& *rotunda*
as.

* Phlegmon in the womb, by reason of the inflammation of the blood; or else those *lochia* being carried to some higher part, bring dangerous affects to the part that receiveth them; as, Squinancies, Pleurifies, Fevers, Frenzie, Nauseousness, Unquietness, Dropsies, and what not? The cause of their retention is (generally) cold, by reason of the ambient air which the woman receiveth in her delivery; (perhaps through the improvidency of Midwives; who, most commonly, take more care of the child than of the woman;) or else, by reason that the woman may be delivered in some cold, moist room; which cold suddenly rushing into the inward parts of the womb, suddenly stoppeth them. Therefore Midwives must not only be very wary in this case, as hath been already hinted in the latter end of the fifth Section, (to which I refer you) but also proceed to the Cure. First then, this Clyster may be given: Take of the roots of Marshmallows, * long & round Birth-

wort,

wort, of white Lillies, of each half an ounce; of the leaves of Mallows, Pelitory of the wall, Mercury, and Violets, of each half a handful; of Chamomel flowers, Melilot flowers, Elder flowers, each two * pugills; of the seeds of Dill, Foenugreek, and Sefeli, of each two drachms; let these be boyled in spring-water, till a third part be consumed; strain it, and to ten ounces of the straining, dissolve the yelk of two eggs; of *Sal-Gemm*, and unguent *de Arthanita*, each one drachm; oyle of Dill, and of Bayes, each half an ounce; of these make a Glyster.

* A pugill is as much as may be held betwixt the thumb and two fingers.

You may also make a bagg trian- A bagg.
gular, (whereof you see a description, with its use, in the xxvth. Section) in which you may quilt these herbs following, being grossly bruised and pounded.

Take of the roots of long and round Birth-wort, of Gentian, Angelica, Bryonie, * Sowbread, of the herbs * *Cyclami-*
of Mugwort, Balm, Savin, Orgamint, ^{ne.}
and Calamint, of each one handful; of

118 *Directions to cure the Lochia suppressed.*

Ingredients
for the
bagg.

Two baggs
best to be
applied,
the one
hot, while
the other
groweth
cold.

The oint-
ment.

*Lumbrico-
rum.*

*Catello-
rum.*

*Hyperico-
nis.*

A Julep.

the flowers of Chamemile, Tanfy, and Elder, each half a handful; of the seeds of Dill, Caraway, Anniseeds, and Seseleos, each one drachm: These being mash'd, and pounded, and quilted into a bagg big enough to cover the lower part of her belly and privities, and well secured with strings, must be boyled in spring-water, and applyed warm; but it were better to have two bags, to apply as they grow cold. The belly, hips, and thighs, which, by reason of the consent of parts, must consequently sympathize with great pains, may be anointed with this ointment: Take of the oyle of Chamomile, Dill, and of the oyle of Eggs, oyle of Worms whelps, *St. John's-wort*; with these mixed anoint the parts abovesaid warm. At night you may let this Julep be given: take of the waters of Balm, and Mugwort, of each one ounces, of the water of Cinamon distilled without wine, one ounce; Confection of Alkermes, half a drachm; of *Laudanum*, two grains; of syrup of Poppy, half

half an ounce: the bagg may be renewed as need shall require, warming it in the liquor in which it was first boyled; the next day you may repeat both the Glyster and the bagg, and expect good success: After which, if the woman be plethorick, you may purge ^{A Purge.} her with *Manna*, and syrup of Roses, in broth, and this may be given after seven daies lying in. I come now to speak somewhat of the immoderate flowing of them, which must be considered as well as being stop'd, there being danger in either: for 'tis well observed by *Hippocrates*, that every thing wherein is excels, is an enemy to nature: ^{Immoderate flowing of the Lochia.} *Πᾶν γὰρ τὸ πολὺ τῇ φύσει πόλεμον,* ^{Hipp. 496.} Therefore let us endeavour to stop them in their over-much flowing, with a very great caution, lest by stopping ^{51. Lib. 2. Omne nimium vitium.} them all together, there follow worse effects. It happens many times, that both after the birth, and miscarrying, ^{The Causes.} that there floweth out such a quantity of blood, by reason of the eruption or apertion of the vessels, immoderately, or, by reason of the great fervor of

the blood proceeding from the use of over-hot Remedies in laborious births, To remedy them; Then,

Cure by
Diet.

First, use such alimentary food, as may incrassate and thicken the blood; as, Panadoes, Gellies, Rice, in the broth of Calves-feet, Pears, boyled Quince, and Roast-meats whereon the juice of Pomegranates have been sprinkled, yelks of eggs. Their drink may be red Wine mix'd with water, wherein steel hath been quenched; then the blood may be drawn by revulsion to the upper parts, either by Phlebotomy, or Cupping-glasses under the papps, &c.

Drink.

Stupps
dipp'd in
[vinegar
& water,
] applyed to
the loynes
with an
ointment.

The whole belly must be swathed; there may be stupps dipp'd in Oxycrat, and applied to the loynes; after which, take of *Unguentum Comitissæ* two ounces; of juice of Plantane one ounce, beaten well together: these things being not hard to be gotten, I tender to you; but when they will not be stop'd by these means, 'twere best to have recourse to Learned Physitians for advice.

SECT.

121
SECT. XXXI.

Of the Fever of Milk.

E*utrap.* You have already discour- Quest.
sed of the danger of the *secun-*
dine being left behind, and the *Lochia*
stop'd: now, Sir, be pleased to let me
know what may be the reason why
women fall into Fevers, although nei-
ther the *Lochia* be stop'd, nor any part
of the *secundine* left behind?

I shall, good Mrs. *Eutrapelia*; for Answer.
those Fevers that accompany women
in Child-bed are never without dan-
ger; of which I shall give you an ac-
count; some of them being critical,
others putrid, others symptomatical.
I call that a Fever critical, which I call
a Fever of milk; so called, because a- Fever of
milk, what,
and when,
bout the third or fourth day after child-
bearing, the milk begins to have a more
plentyful recourse to the breasts, whi-
ther it is carried with some force, by
reason of the motion and agitation of
the

*Febris
Ephemer.*

The cau-
ses.

Cautions
in driving
back milk
to soon.

Putrid.

Sympto-
matical.

the blood converted into milk for the
nourishment of the infant? although
this kind of Fever doth not happen un-
to all women, neither doth it usually
continue above three or four daies, be-
ing dissolved by sweating, and need-
little other remedies (most commonly)
if the *Lochia* be not stop'd. The cause
may be, the driving back of the milk
too soon (which ought not to be) which
doth over-run the blood, and settle
there; or else, because that the breasts
being filled with milk, and distended
very big and full, the vessels for blood
are so compressed, that they will not
admit of that blood that floweth thi-
ther; insomuch, that the blood being hin-
dred in its circulation, beginneth to rage
over the whole mass of blood, whose
spirits being inordinately stirred up, and
confounded, take heat, and begin to
boyle, and leaving the womb, posses-
seth the whole mass of blood, and so
perhaps turn into putrid and malign
Fevers; amongst which, many happen
to be symptomatical; as, a Squi-
nancy,

thancy, a Pleurisie, * an inflammation ^{* Peripneu-}
 of the lungs, a Dysenterie, and the ^{monia.}
 small-pox or Measels: but these symp-
 tomatical Fevers being from the same
 fountain of * *extravasat* blood, (which ^{* A Bloody}
 most times turns into Apostemations, ^{Flux.}
 Tumors, and Inflammations, if not ^{Blood out}
 prevented) will bear the same Analogy ^{of its ves-}
 of cure, with respect to the parts ^{sels.}
 they invade: but to begin with critical
 Fevers. The cure of which consists, first, ^{Cure of}
 in an exact observation of diet, that the ^{critical}
 impurities of the blood, and the due ^{Fevers.}
 purgation of the humors, the evil affec-
 tions of the womb may be corrected,
 and the strength impaired may be re- ^{Strength}
 stored. Wherefore, let her diet be ^{how re-}
 Oatmeal-caudles, with white-Wine, ^{stored.}
 and all mix'd, wherein a top of Baulm, ^{Diet.}
 Speremints, Mugwort, or Orgamint
 may be boyled; as also, Panadoes, and
 Water-grewels, &c. with these she
 must be fed for a week at the least, by
 often supping; forbearing nourish-
 ments that are stronger and solid; as
 also all manner of flesh, which are
 usually

Eating
flesh in
Child-bed
the cause
of Fevers.

usually the cause of those Fevers; for women in Child-bed must be dealt with not only like those that are grievously wounded; but like those whose mass of blood is disturbed, and so apt to be incensed with the least flame.

Cold.

Section
5th. and
31th.

The next care conducing to the cure is, to prevent outward colds, (as hath been formerly observed, in the 5th. and 31th. Sections.)

Usual re-
medies.

Supposi-
tory.

Wherefore, I would advise, that women be kept in their beds for five daies at the least after their delivery. I know 'tis usual for them to rise at three daies end; but this to be sure, the longer women contain themselves in their bed, the more secure they are from danger. The third observation is, that by a gentle proritation of the blood, the *Lochia* be continued; and to this end Midwives usually give *Sperma (eti)*, Irish slatt poudered, or Saffron tinged in white-Wine, or Marrigold-flowers in posset-drink. If the belly be costive, it may be moved either with a Violet confect made for a suppository, or some gentle

gentle emollient Glyster, (avoiding stronger Glysters.) Where there hath been vomitings, thirst, and want of sleep, occasioned by the great perturbations of the blood, and stopping of the * *Lochia*; I have known *Laudanum* * *Lochia*, mix'd with Saffron, each two grains, and given in posset with good success. Instead of cooling Juleps, you may use Juleps; this rather, of which you may give three or four Spoonfuls often times in a day: take Pennyroyal-water, Balm-water, each three ounces; * *Hysterical-water* * *Aqua Bryoniae composita*, two ounces; Tincture of Saffron, two drachms; a * *Scruple of Castoreum* * 20 grains, tyed in a fine rag, and hanged in the glass. Here also may be used Bezoardical medicines, such as provoke sweat; but these, as also the cure of those symptomatical Fevers before hinted, I leave to be considered of by Learned Physicians, to whom it is safest to have recourse in such cases of danger.

SECT. XXXII.

Dr. Philadelphos. I shall, Mrs. Eutrapelia, in this Section, afford you a Miscellany of Medicines, such as are most useful for you to have with you; and conclude all.

Oyles.

DR. Philadel. Mrs. Eutrapelia, you may remember, in the latter end of the 4th. Section, I gave you an account of those things that a Midwife ought to be furnished withal, wherein mention was made of oyles, which usually are, oyle of Lillies, of sweet Almonds, or Chamomile, mixed. I shall offer you one ointment, in hard and difficult Births: take of new butter not salted, and washed in Mugwort-water, two ounces; the * Mucilages of Linseeds, Figs, and the seeds of Marsh-mallows, extracted out in the water of Savine,

Difficult Births.

*The mucilage is the quintessence of seeds and fruits boiled to gelly, and strained.

Savine, of each half an ounce; oyle of Lillies, half an ounce; make a liniment, with which frequently anoint the neck of the womb; you may use also sneezing-powder, made thus: Take *Erythine*, of long Pepper, *Castoreum*, Betony, white Sneezing-powder, Hellebore, sweet Marjoram, Cloves, each a drachm, made into very small powder, and kept for use; which may be snuff'd up into the nostrils, to cause sneezing; or, of white Hellebore, and *Castoreum*, powdered; this potion also may be given. Take of Cinamon, of the bark of *Cassia fistula*, of Dittany, of each one drachm and half; of white Sugar, as much as all; let all these be made into a fine powder, and of it drink two drachms, in that posset wherein Linseed hath been boyled, or else in white-Wine. Or this, Take of *Cassia fistula* powdered, two drachms; Red * Cicers, half a handful, let them boyl in white-Wine and water, of each as much as will suffice, adding at the length two drachms of Savine, strein it, and add to it half a drachm of Cinamon,

Erythine, of
Sneezing-
powder.

An other.

A Potion.

An other.

A sort of
red Pease,
Ciceri in
bri.

mon, and six grains of Saffron, and make a potion. Or this,

Another.

A scruple
is twenty
grains.

A general
Cordial-
water.

Take Ægrimony, Betony, Vervain, each a handful; Confection of Alkermes, a scruple and half; Sugar and Cinamon as much as will suffice to aromatize it, the herbs being first boyled in posset-brink. I shall give one general Cordial water, which I shall not only commend to Midwives to have ever by them, but also to other Gentlewomen; it being a general Cordial water against most distempers. Thus then; Take Baulm, Betony, Pellitory of the wall, sweet Marjoram, Cowslip flowers, of the flowers of Rosemary and Sage, each a great handful; of the seed of *Annis*, sweet Fennel, and Coriander, Cara way and Gromel, of each half an ounce; of Cinamon, Licorras, and Nutmeg, all bruised, each one ounce; of Juniper-berries, one ounce and half; let the herbs be shred, and infused in a gallon of Brandy in an earthen pot well leaded, for the space of a fortnight; afterwards strain it, and

Against immoderate Flux of the Courses. 129

and put in twelve ounces of Loaf-sugar, and of Musk and Ambergreece, each two grains, tyed up in silk, and hang'd in the glass: you may put in another gallon of Brandy, after the first is streined.

Note, that a gallon of Brandy added to the ingredients after streining, makes as good water as the former, if ordered so.

Against immoderate flux of the Courses.

Take of the roots of Tormentill, two drachms; Bole-armeniack the best, one drachm; the species of Hyacinth, Powder, half a drachm, all made into fine powder: of which, take half a drachm once in three hours, in this following Julep.

Take of the *a* compound water of The Julep: Scordium, *b* Dragon-water, & *c* Mead- *a* Ref. Aq. Scordii sweet, of each three ounces; of *d* Treacle-vinegar, an ounce; Syrup of Coral, *b* Dracon- two ounces; burnt Harts-horn, half a *c* ulmaria. drachm; make a Julep. *d* Aceti Theriacalis.

CC. vii.

K

To

To facilitate the Birth, drive out the Scundine, false Conception, and dead Child.

Take of the Trochischs of Myrrh, one scruple; of Borax half a scruple; of Saffron three grains; make a powder of these, and take them in white-Wine, or the decoction of Mugwort in Posset-ale; after which, drink a draught of the same Posset, with some few drops of oyle of Amber, or oyle of Juniper-berries infused in it. Or this,

A Posset.

Take Mother of Time, one handful; of Pellitory of the wall, and Chamomel-flowers, of each half a handful; of Fennel-seeds, and Licoras, each half an ounce; Figs slit n°. six; boyl these in three pints of Posset-ale, till one pint be consumed; then stein it, and of this drink a good draught thrice in a day. The next Receipt shall be directed to the false Conception, and dead Child. As thus; Take *Styrax*
Cala-

To prevent Abortion.

131

Calamita, Myrrh, Cinamon, *Cassia lig-* From the
nea, of each half an ounce; Mummy, Apotheca-
ries.
two drachms; Saffron, half a drachm; To pro-
make all these into fine powder: this voke the
may be taken in white-Wine, a drachm flowers,
at a time, for a week together, or expell a
more. and false
Conception.
on.

To prevent Abortion.

Take *Sanguis Draconis*, Red Coral, A powder
both made into powder, of each one to be taken
drachm; of Ambergreece, three grains; in broth,
of Bezoar stone, four grains; of this &c.
powder, a scruple at a time may be ta-
ken, either in Mace-ale, or Broth, or
Posset-drink, wherein Plantane, Com-
frey, Knor-grass, Bramble-leaves, Peri-
winckle, with some Cinamon, have
boyled. Or this,

Take Kermes-berries, two drachms; A second
red Coral, and white, of each one powder.
drachm and half; of Amber, one
scruple; make these into pow-
der, and put them into a Poch'd-egg,
and sup it up; do so till all be done. Or
this,

K 2

Take

A third
powder.

Take Mastich, Frankincense, *Sang. Dragon*. Myrrill-berries, Kermes-berries, Bole-armeniack, each half a scruple; and take a drachm of the powder, and fill the hole, whence the stone is taken out in a Date; moysten it in sack, and wrap it up in a paper, and put it under hot embers to be warmed; and, let those that fear Abortion, eat it often.

A Car-
plaine to
the navil.

Take a hot manchiet out of the oven, cutting off the crust, dip it in Muscadine, and strew it with the powder of Nutmegs and Cinamon, each as much as will suffice; and apply this hot to the navil of the woman.

A plaister
from the
Apotheca-
ries.

Take of Emplaster *ad Herniam*, *Caesaris*, each half an ounce; *Corci Baphrici*, one drachm, made into powder; Emplaster of *Discalcythios*, one ounce; and with as much oyle of Myrtles as will suffice, make a Plaister to be spread on leather, and applyed between the hips. Here may be used *Unguentum Comitissae* to the loins.

Unguerr.

Of After-pains.

After-pains may proceed from the Causes of
acrimony of the blood, being thinn and After-
sharp; or, from the grumous part of it, pains.
being thick, and clotted; which na-
ture endeavouring to discharge it self
of, as to the settling of the womb, cau-
seth these pains: As also Inflat- Inflat-
ions, by reason of the ambient air, seems Ambient
to imitate those pains, with the Child- air.
of bearing, which are not only Sympa-
thetical, but Symptomatical; this be-
ing so usual, few women are free from
it: And, because they often cease Cure:
within two or three daies, they seldome
require a Physicians help. Neverthe-
less, that Julep before-mentioned in the The Julep
and 32th. Section, is very useful. Or else, in the
will Take the inward bark of an Elm, 3^{1b}. Se-
ction, mar-
d on tree, and burn it to ashes; to which, ked with
hips adde Cinamon made into powder, this Asse-
tissome 10 grains of Cinamon to one risk.
drachm of the ashes, and drink it with
Of white-Wine. Or else,

K 3.

Take

Take of oyle of sweet Almonds, two ounces ; syrup of Violets, one ounce ; water of Penniroyal, half an ounce, for a draught.

Potion.
After-
pains from
windiness.

If the cause be from wind, you may give a drachm of Barberries in powder, in the water of Vervain, or Baulm.

Caudles.

But, most usually, these pains are eased by Caudles made with half white-Wine, and half water, wherein Sperminths, Baulm, Penniroyal, or Mugwort have been boyled,

I will give you the form of a Caudle, which is not only of great use in the sending forth of the *secundine* (in case any piece of it should be left behind, as sometimes it may happen) but also to help nature in its work of throwing out this grumous blood ; (which is the cause of the After-pains) And this is it ;

A Caudle,
in case any
part of the
Secundine
be behind.

Take Oatmeal, and Hempseed, of each a sufficient quantity, with a top of Baulm ; boyl these in a sufficient quantity of white-Wine and water, of each a-like, and with the yelk of one egg, make a Caudle.

Of

Of Convulsion-fits in infants newly born.

Take the best Sack and Sugar mull'd, and give it the first thing it takes; this will discharge the stomach of that viscu-
ous flegm that ever accompanyeth infants; and not only warm the stomach and nerves, (for all Spasms and Epilepsies proceed from the nerves being oppressed with cold, or gross, phlegmatick humors) but prepare it for future nutriment. If these prevail not, use this ensuing Julep and Plaster.

Convulsi-
ons, from
viscu-
ous
phlegm
possessing
the sto-
mack and
nerves.

Take Black-cherry water, red-Rose-
water, and Dragon-water, of each two
ounces; one top of Rosemary, of Li-
coras, a drachm; of the flowers of
Linden-tree, of the Lillie of p Convall,
of each a pugill; boyl them till a third
part be consumed, and sweeten it with
Sugar-candy; give the infant often of
this, together with this Plaster.

The Julep.

o Flores
Tilia.
p Lilia
Convallia.

The Plaster.

Take Mithridate, two drachms;

K 4

Saffron,

Supposito-
ries.

n Rad.
 Peonie.
 o Dictamni
 albi.
 p Visci
 Quercini.
 q Seminis
 Atriplicis.

Saffron, one scruple poudred; Spirit of Wine, some few drops; Capons-grease, as much as a small nut; make a plaister to be spread upon a small piece of scarlet, and applyed to the pit of the Stomach. And, if the child be costive, put up a Mallow-stalk buttered, or a Violet Confect, as Suppositories; this powder is good. Take n Piony-roots and seeds; o Diptany; Misleto of an Oak, of each half an ounce; of the seed of q Orach; of the scull of a man, each two drachms; red Coral and Hyacinth prepared, of each a drachm and a half; of Elks-hoof prepared, half an ounce; Musk, six grains; Leaf-gold, half a drachm; make a powder of this; give ten grains, or twenty grains in the Julep aforesaid, in a spoon.

Of a Diarrhæa, or a Looseness in Child-bed.

Philad. l.

A violent looseness in child-bed is not without danger; to prevent which, these

Of sore breasts in women.

137

these Glysters may be given safely.

1. Take Rice, one drachm and half; Two Gly-
of Cork finely grated, two drachms; str.
Red-rose-leaves, half a handful; strein
these, and make a Glyster, after they
have been boyled in a pint and half of
milk to a pint; the things that remain
may be applied to the navil in form of
a plaister.

2. Take milk a quart, boyled to a Carapasm.
pint; of *Diascordium*, half an ounce;
the yelks of two eggs in form of a Cau-
dle; make a Glyster: but here care Caution.
must be had, that by too astringent
means the *Lochia* be not suppressed.

Of sore breasts in women.

To preserve the breasts, that if they To pre-
nurle not their children, the milk of- serve breast
fend not, or, being extravasate, cause against the
Apostemations; inconveni-
ence of
milk.

Take Virgins wax white, four oun- An Em-
ces; *Spermaceti*, two ounces; of *Gal-* plaister.
banum dissolved in strong vinegar, one
ounce:

Of sore Breasts, and Nipples.

ounce : Make an Emplaster, to be laid on the breasts, and continued for many daies ; let it be spread upon linnen: if the breasts should tend to break, then, Take a Sheeps head, wooll and all, bruise it, and boyle it in water enough, till it be all to mash. In the top of the streined liquor of which, boyl Rice enough to make it to the consistence of a Pultis ; to which, add some Saffron, and apply it, and the wooll over it. If the nipples be sore with fissures and clefts ; First, wash the furr and stuff off from the nipples, as clean as may be ; with red-Rose-water, as hot as may be endured ; Then use of white wax, one ounce ; of *Spermaceti*, half an ounce ; the marrow of Staggs-bones, two ounces ; oyle of *St. John's-wort*, one ounce : apply this. Or, Take Goats-suet, one ounce ; oyle of the yelks of Eggs ; oyle of sweet Almonds ; oyle of Henbane, and Poppy, by expression, of each half an ounce ; the fat of Geese, Capons, and Ducks, of each three drachms ; of Litharge ;
of

A Caraplastm, if the breasts should break, to be spread upon the wooll.

Clefts in the nipples.

1 Ointment.

2 Ointment.

of Silver; white Lead washed; *Tutia* Ground-
 prepared; of red Lead, of each one sel stamp,
 drachm and a half; of *Pompholyx*; and apply-
 burnt Allom; white Sugar-candy pow- ed, driveth
 dered; of *Olibanum*, of each one drachm; back milk,
 of Saffron, one Scruple; of Camphire, preventeth
 and Opium prepared, of each half a Inflammations.
 scruple; mingle these, and with as Flax card-
 much white wax as will suffice, make ed, and
 of these an Unguent. smoaked
 over Frankincense,
 with which
 cover the
 breast,

SECT.

SECT. XXXIII.

Of Nurses, and the best Milk.

Philadel.

Nurses not
fluttish.

Quo semel
est imbuta
recens ser-
vabit odo-
rem Testa-
diu.

Since the choice of a Nurse is of so great a concernment; (as upon which, the future being of the infant consists) surely this, then, requires many serious considerations. For, though she may have milk enough, yet perhaps not good enough; or the woman either fluttish, or unhandy, or careless in the swathing and dressing of the child; by which many children (like new vessels, which will keep the savour of that liquor they are first seasoned withal) are fluttish or slovenly so long as they live; or else (being abused at nurse, are distort and Ricketty; full of botches, nasty, and nauseous to their own parents. And many, through the intemperancy of their nurses, who, by drinking, to increase their milk (and perhaps make it bad enough) sleep so securely and profoundly, that they overlay

The description, and choyce of Nurses

lay their nurseries in the night, and the children dead by their sides in the morning. Therefore let Nurses sleep so often, that they may hear the least cry of the infant. But this as introductory to a larger discourse and description. Let the Nurse, then, be of a middle stature, and good complexion; active, not fat, (and of a sanguine complexion, if possible) and not in poverty; not under twenty years of age, nor above forty, but rather of twenty five, or thirty years of age, as a * mean betwixt both. Let not her nipples be great, lest it make the child of a wide mouth, because it cannot suck without the contraction of the lips together; and, lest by forcing the tongue into too narrow a compass, it hinders the swallowing of the milk.

Next, if the nipple be too small, the child is apt to let it slip out of the mouth, and cannot handsomely hold it, so that the infant being frustrated of suck; and yet still exercising sucking, hurts the cheek, and attracts some kind of humors thither, which oftentimes become

Children,
how over-
laid.
Often sleep
good.

The Nurse
described;
with her
Complex-
ion, her
Age.

* Media
tutissimae
ibis.
Her nip-
ples not
too big.

Not too
small.

*Pectora
late jacens
mammis
Virgil. mo-
retum.*
Great
breasts not
good.

Young
whelps kil-
led with
sucking of
women.
* Of ano-
ther na-
ture.

Plenty of
milk ever
best.

become præternatural tumors; and oftentimes the cheeks of the infant seem as if they were stirred out of their places. Thirdly, by the consent of all, the Nurse must have a large breast (though some think that not so material, and others are of opinion that she ought to have large breasts) because there is more milk collected together in great breasts than ought; and being there, is corrupted, to the prejudice of the Nurse. Wherefore, lest the milk should continue there too long, it is best to have a lusty young child to suck it away, or else to use some other way; (as, by the use of young whelps; whom I have oftentimes seen dye with sucking womens milk; surely the reason must be, because the milk was * heterogene-ous; or else, because grumous, and corrupted) or milked out some other way; especially, when the Nurse perceives her self prejudiced by it. But it is ever best, that she abound, rather than want milk; and then in this case it is best they be big, though all Nurses need

need not have big breasts; for there may be as much milk, if not more, in a lesser brest, than in a great one. Our next enquiry will be into the manners and behaviour of a Nurse. The best Nurse then is, she that is mild, chaste, sober, courteous, chearful, lively, neat, cleanly, and handy; because bad conditions, as well as good, are suck'd in with the milk, and so radicated, that it is a hard matter to pull out the bad conditions, and leave the good behind, but that there will be a remainder of the bad conditions, perhaps so long as they live: wherefore, let not the Nurse be of an angry, malepert, and saucy disposition, shameless, scolding, or quarrellsome; not gluttonous, but so careful of her nursery, that she neither eat or drink that which may be hurtful to the infant: That she do nothing to anger her self, to grieve, or sad her self; for such passions will presently distribute themselves, to the prejudice of the infant; than which there is nothing of more efficacy to destroy the

The Nurses Conditions.

Her care in eating and drinking.

Passion hinders the good milk.

Absti-
nence from
Venery not
sufficient.

*Somnians
dixit quæ
vigilans
voluit.
Terent.
Comed.*

* Colostra-
ti.

*Meats to
be avoided
by Nurses.*

*Persly, an
enemy to
milk.*

the goodnes of the milk. Neither is it sufficient that they abstain from the use of their husbands; but when they have wanton thoughts, and lascivious minds, wholly upon Luxury and Venery, they cast off all care of their nurseries, and dreaming at night of that which their minds run on in the day, and by other filthy pollutions they infect the milk. So also, by the use of their husbands the Courses are stirred up, by which both the plenty and goodnes of milk is derived another way; and so the child robbed of its nutriment; or else the Nurse conceiveth with child, and so the infant becometh diseased and Ricketty, by sucking grumous, curdy, and unwholsome milk, and is the worse for it during life. Therefore let all those things be avoided, that either do, or are supposed to provoke lust; as, junkets made with spices; also onions, leeks, garlick, and all salt meats are to be avoided; persly, and smallage, some say, have a peculiar malice to the increase of milk: besides

besides that, it doth increase lust, and is an enemy to the growth of infants. Again, that Nurse were best; that hath lately been brought to bed of a boy if to nurse a boy, the milk of such a Nurse being better tempered. For the milk of a male child will make a female nursery more spritely, and a man-like Virago; and the milk of a girl will make a boy the more effeminate. As

The virtues of the milk of a male, and of a female.

to the milk, let it be a mean, betwixt thick and thin; which you may perceive, by dropping it upon the thumb-nails; for if it be too thin, it will run off the sooner; but if thicker, it will stay the longer: let it be sweet, and pleasant; both to the smell and taste; not offending the palate with rancidness, sourness, sharpness, or saltness; or the nostrils with any strange quality. Let it be candid to the sight, in it self equal in each particles; not infested with brown, yellow, green, blue, or any other evil colour; or, as sometimes, with various colours and substance; as, with lines, and streaks upon it: but let that

The conditions of the milk.

Tryal of the milk.

By its Quality.

Colour.

L

milk

Experi-
ment.

milk be most praise-worthy, that makes as much curd as whey; which may be tryed by this Experiment, *viz*, Put some of this milk into a glass, and put in some Myrrh, or Rennet; which being stirred together, will curd, and then may the contents be seperated: the tryal is, that if there be most whey, then is the milk thinner in its substance; but if most of curd, 'tis thicker: yet all these may be corrected and amended; for that which is too thick may be mended by an extenuating diet, and the flugmatick matter may be avoided by a vomit of Oxymel, and Exercise before meat, the better to consume and attenuate the thickness of it.

Corre-
ctives of
milk too
thick.
Vomit.

Of milk
too thin.
Diet.
Alica.

The thinness of milk is amended by contrary food, such as doth incrassate it: as Formenty of Wheat, and Rice; Hogs-feet, Calves-feet, Trotters, and sweet Wine, unless somewhat else be in the way to hinder it. Sometimes it happens that the milk is more tart than it ought to be: wherefore then, all diligence must be had to feed upon such
meats

Sharpness,
&c.

meats as are of the best juice, till that acrimony at least be attempered.

Sometimes there is little or no milk in the breasts; as after some sickness, or notable distemper, now turned into a chacochemical habit, or any other of what kind soever, that possesseth those parts, or is the morbitick cause: but that shall not be our business to consider of now. Now, if these be not the causes, let the Nurse use supping meats; as Froths, Possets, &c. and eat plentifully, and use frictions to her breasts and duggs, exercising her hands and her arms by domestick Employments; or instead thereof, let her dance the child, by which the aliment may be recalled into those parts. Sometimes cupping-glasses to the breasts, with a fomentation of emollient herbs boyled in water, and applyed warm, either sponges, or wollen-clothes; after which, embrocating them with oyle of Lillies. The seeds of Fennel, and the roots of Parsnips boyled in Barley-water, and buttered. The broth of Hens, or Capons,

Want of milk, the Causes.

Exercise, and dancing of the child, good for the Nurse.

Cupping-glasses. Fomentations.

Embrocation.

What food is best.

Earth-
worms.

Milk in too
great a-
bundance.

A Decocti-
on.

The in-
convenien-
cy of too
thick milk.

pons, with Cinamon and Mace. Or Poch'd-eggs, with the seeds of *Annis*, and *Dill*; and all things else that are hot in the first and second degree, are good. Worms, such as come out of the earth, (not out of a dung-hill,) six or seven of them dried, and powdered, and drank in Barley-water sugared, for a fortnight together: All these may be of good use in the defect of milk. But now let us see to the inconveniency (if there be any) in too much milk. If the milk abound too much, which sometimes is (though seldome) blameable; Then use the decoction of Myrtle-berries, and red Roses, and with clothes dipped in it, lay them on the breasts. Or else clothes imbibed in Vinegar, wherein Cummin-seeds bruised have been infused with Myrrh and Camphire.

By reason of the thickness of the milk, all those excrements that the child should send forth, are intercepted; as by Stool, by Urine, &c. The passages for transpiration are stuffed up, so that the progress

progreſs of the aliment being ſtop'd, of neceſſity the milk muſt be regurgitated, and vomited up; after which will follow much flegmatick matter, a ſure argument of crudities. Sometimes there will ariſe botches, and apoſtemations about the body; much matter, and ſnot, and quittor will come out of the noſe, and corners of the eyes, and eye-lids; and the appetite will be loſt.

Cause of
Botches,
&c.

Contrarily, from the thinner and ſharper ſort of milk, the belly is looſer than it ought, being troubled with pinches and gripes in the belly of the infant: Alſo, very angry puſtules and wheelks will ariſe about the body, like the ſmall Pox; and the body groweth weak by little and little, the infant not caring for food; for the ſtrength of the appetite will be more remiſs, by reaſon of the acrimony of that which the infant deſires; ſo that it is not much ſenſible of that aliment which it hath; and that aliment of which it is ſenſible is naught, and vicious.

Of too
thin milk,
the cauſe
of gripings

Cause of
puſtules.

Of over-
much milk

Of too lit-
tle milk.

Mayaf-
mus.

Vehemen-
cy of the
innate
heat.

A good
caution, not
to choofe a
Nurse in
poverty.
Another
Nurse to
be choſen.

Now, from the over-abundance of milk, the infant oftentimes, when it sucks, is over-whelmed, being so puffed up, and the belly distended, as if it would break; untill by much pissing, or breaking wind, it is slacker. But where there is too much scarcity of milk, here the infant being altogether destitute of its nourishment, will pine away; and all the parts of the body being starved, in those years when it most wants nourishment, by reason of the vehemency of the innate heat, and that habit of body (that the least blast will puff down) which requires much, and constant aliment. By all which, women ought to be the more provident, lest all these mischiefs happen, (especially, not to make choice of such a Nurse, whose poverty must needs starve her self, and her nursery; and if they should so happen, to amend them, as hath been said before) ere they grow incurable, and require the help of another Artificer that may cure it. Or, if the fault in the milk cannot be cured and

and amended in the Nurse, (which she hath contracted,) Then you have no more to do, but presently to look for another Nurse, that hath none of these inconveniencies; that so the infant may have suck enough, which is all it requires; for want of which, you may hear sad ejulations, crying, and weeping. And this may be discovered by their dreams, as by the often motion of the lips in the cradle, as if they were sucking when they are a-sleep. Dreams.

Neither is it strange, that the infant should be sensible of, and participate of whatsoever food (as meat, drink, and physick,) that the Nurse taketh: which maketh our modern Physicians purge the Nurse, to cure the child. And this also is concluded on by Hippocrates; The infant participates of that food which the Nurse eats or drinks.
 * That if a woman take any purging Physick, she purgeth her child also. Τὸν αἰε ἐκείνου ἵστικον,
 So, Galen reports of Goats, feeding in Asia, where Scammony did grow, did communicate a purging faculty to their milk. And so the milk of Asses, generally accounted the best in Consumptions, παιδίων κούραρις. Hippoc. Epidem, vi.

Qualities
of the milk
pass into
those that
suck them,
and so im-
purities.

tions, is counted better, if the Ass be fed with Capillary herbs, such as are Maiden-hair, &c. And again, when young Goats suck Sheeps-milk, the rough hair shall lose its coarseness, and become like a fleece of wooll: and so contrarily, when lambs are brought up by Goats, their wooll groweth the more hairy. If then the qualities of the milk pass into those that suck them, (as without doubt they do) it is easie to gather, that other impurities follow thither also, neither is it improbable. Surely then, we ought to take no less care of the Nurse than of the child; as in her diet, exercise, physick, &c. since, whatsoever conduceth to the benefit of the Nurse, tends to the good and welfare of the infant.

I have been the larger in this Section of Nurses, and Milk, because tender infants can neither make choice of their Nurses themselves; nor discover, or plead for their wants: Their own mothers, surely, (if they are able) both by duty, and nature, being the most fit to nurse

Not to rock the infant much after sucking. 153

nurse their own children; which the
greatest Ladies may do, with the great-
est conveniences; by reason of their
plenty of all things; besides, their at-
tendance of servants, who can bring
their nurseries to them at all hours, be
it by night or day, and take it from them
again, not to disturb their rest: which
also, they may intend at their own
pleasures. The longest time that a child
need be suckled, is not to be above one
year. I shall leave only one caution for
Nurses, and wind up this Section: and
'tis this. Let Nurses ever milk out
some milk e're they suckle the child; and
after it is suckled, that they rock it not
too much presently after, lest violent
rocking disturb the meat in the stomach;
or the other parts draw away the milk
in the stomach, as yet unconcocted.

The great-
est Ladies,
and all
Mothers,
fittest to
nurse their
own chil-
dren.

The time
of suckling
not above
twelve
moneths.

Nurses not
to rock the
infant too
violently
after suck-
ing.

SECT.

SECT. XXXIV.

E*utrap.* Sir, I was unwilling to interrupt you in your discourse, (it being so profitable) till you had done : and truly, Sir, I must beg your pardon, if I mind you of some distempers incident to women, and are peculiar to the womb; and though there may be more, yet I shall trouble you but with two : And the first is, concerning your judgement of Fits of the Mother; and the second, of the Falling out of the womb; which sometimes hapneth after hard Labours, or an unskilful Midwife.

Philadel. Mrs. *Eutrapelia*, I shall readily do both, as well to satisfie You, as other Ladies, whom I am willing to gratifie.

Of Suffocation of the womb, commonly called, Fits of the Mother. Section, 31.

Amongst all the fierce distempers that women are affected with, the strangulation of the womb is accounted none of the least. This, by the Latines, is called the Suffocation of the womb, and so by the * Greeks; ^{uteri suffocatio.} * Ὑστερί- which we render, Hysterical Fits, from ^{κὴ πνιγ.} a word which signifieth, The womb: αὔτεγα. It is called by most women, The Mother Fits, and that from another Greek word, which signifieth, the Matrix; ^b Μήτρα which is from another word, which signifieth, a Mother; because women, ^{from} Μήτρες. after they have brought forth, are Mothers; and hence, Fits of the Mother. ^{What is the suffocation of the womb.} Which is, a retraction of the womb to the upper parts, making the principal parts fellow-sufferers of the distemper. For although the womb may be concluded to be moved out of its place, yet,

The parts
affected,
what, and
how.

The cau-
ses.

Menstru-
ous blood,
Vicious
seed.

The symp-
toms.

yet, except it be carried downwards, it never causeth a suffocation: for a suffocation is nothing else but a defect in breathing: Therefore it is necessary, that the upper parts that serve for Respiration be affected, and carried upwards, by reason of that suffocation; and amongst all, the chiefest are, the heart, lungs, the midriff, and the brain, to which the force of the affection cometh, *viz.* to the heart, by the veins and arteries, and so to the lungs; to the brain and midriff, by the nerves and membranes of the spine of the back: The cause is from the womb, which being full of some naughty humor, as menstuous blood; or vicious and putrid seed offendeth the noble parts, with some stinking, malignant, sharp, gripping, cold vapours. The symptoms that follow are various, either according to the greatness of the efficient cause, or the variety of some qualities, or natures; for some women are without any sense or motion, and seem to have no pulse at all, or at least, that very

Signs of the declination of the distemper.

very small and weak; and sometimes
lye without any manner of breathing
at all that can be perceived. Others
there are, that neither want sense nor
motion, and seem not to be troubled
with any passion of the mind; but they
faint, and very hardly fetch breath:
some also seem to have Convulsions in
their joynts, as in their hands, arms,
feet; but these generally are the signs
of the fit at hand, *viz.* ^a A dulness of a Signs of
the Fit com-
ing in
augments.
the mind, a laziness, weakness of the
thighes, paleness, and clamminess about
the face: ^b but when the fit is come, b Signs of
the Fit
present.
c Koclor.
then there cometh a ^c profound sleep,
like those in an Apoplexy, or Lethargy;
the mind is dotish, the senses are in-
tercepted, the voice ceaseth, the thighes
are contracted, the cheeks look red, and
the face is swelled. But when the sus-
tocation declineth, a certain moysture Signs of
the decli-
nation of
the distem-
per.
distillerh from the privities, with great
rumbling and murmuring of the belly;
and the womb by little and little is re-
laxed, and so the sense returneth. This
disease is moved also by ^d course; d Suppose,
of the
moor. as is

How it differs from a Syncope, &c.

the Falling-sickness, and doth most of all infect young women desirous of husbands; and that about Autumn, and the Winter: as also, those that are childless, or unfruitful, or such whose womb is chilled upon any account.

* How it differs from a Syncope, or swooning.

This differs from * fainting Fits, in this, (*viz.*) In a Syncope there is no pulse, but in the strangulation of the womb; there is ever a pulse, though small, rare, weak. In fainting Fits, or swoonings, there are cold sweats, and paleness of the face; but in this the countenance is plump, and ruddy. It differs also from an Apoplexy, for women that have these Fits have not their parts deprived of sense and motion; and, although their senses be benumbed, yet, if they are pinched, or pricked, they are sensibly disturbed, and will make signs with their hands, that they are strangled; now it is clean contrary in an Apoplexy: And again, those in an Apoplexy do snore, which is never seen in these hysterick Fits.

How from an Apoplexy.

Lastly,

Cure of Suffocation, or Mother-Fits.

Lastly, these Fits differ from an Epilepsie, or Falling-sickness, in this; that these parts affected are not contracted with Spasmes; or Convulsions; neither do they foam at mouth, except the woman be vehemently suffocated; and especially, when an Epilepsie is not stirred up out of the womb it self, as oftentimes it doth happen. Having thus discoursed of the causes, symptoms, and signs, we now come to the Cure. First then, let the lower parts be strongly rubbed with clothes, and tyed with strong ligatures; as also, let Cupping-glasses, be applyed to the hips, groynes, * share-bone, (but not to the navil.) Next, sneezing is commended, (to which *Hippocrates* agrees.) And, though I have given you one Receipt for a sneezing-powder, in the beginning of the 31th. Section, which is proper not only in difficult births, but here also; I now will leave with you the Receipt of another powder, which shall be this; Take white Pepper, Mustard-seed, Pelitory of Spain, Castoreum, of each a scruple;

How they differ from an Epilepsie, or Falling-sickness.

Spasmus Cinicus. A distortion of the mouth.

The Cure. Cupping-glasses, how to be used. Os pubis, or Pectinis. Beware the navil.

ἵνα μὴ ὕψος ὕψος ἐκείνη, ἐνοχλῇ ἐν τῇ διὰ σπινθῆρος πταίματος ἐστὶ γυνὸς μὲν δ' αὖ δν. Aphor. lib. 5. & 35. A sneezing powder.

Twenty
grains
make a
scruple.

Supposito-
ries.

60 Grains
make a
drachm.

An Oint-
ment.

A fume to
sit over.

scruple; *Euphorbium*, and white *Hel-
lebores*, of each one scruple; and make a
subtile powder, which may be used so
long as there is no redundance of hu-
mors perceived in the head. Supposi-
tories are good; as, Take of Agarick
Troscilic. of the species of *Hiera-lor-
godii*, of each a drachm; of Rats-dung,
Figs, Rue-leaves, and Cummin-seeds,
all made into powder, and with honey
made up into a Suppository.

Take oyle of St. *Iohn's-wort*, of
Orange-flowers, of Rue, of each one
ounce; oyle of Mace by expression,
half an ounce; of a Beasts gall dried
and powdered, six drachms; *Venice-
Treacle*, half an ounce; Spiders alive,
in number forty; infuse all these for ten
hours in a vessel well stop'd on the em-
bers, that it neither boyle too fast, nor
evaporate too much; of this make an
Ointment, with which anoint the back;
and loynes, and the navil, avoiding all
cold.

A Suffumigation of Nutmegs pow-
dered, and set in a close-stool to burn;

re-

The Cure of Hysterick Fits.

receiving the smoak by sitting over it, is excellent. 10

Stinking things are ever best to smell ^{Stinking things to smell} to, such as are Partridge-feathers, old Leather, Brimstone, burnt all; *Assafœtida*, *Castoreum*, *Galbanum*; Ruc, malaxed with Vinegar: Contrarily, all sweet things are proper to be tyed to the thighes in a bag, but not smell'd to. ^{Sweet things best to be tyed to the thighes.} The scrapings of Goats-horns, and *Assafœtida*, mixed, and burnt, is excellent.

Take *Assafœtida* dissolved in distilled vinegar, of *Castor* prepared into powder, of each a scruple; *Laudanum* two grains, made into six Pills, and taken just before the Fit. Pills.

Lastly, if these Fits proceed from the stoppage of the flowers, those medicines must be given proper to provoke them; but if from the retention of the seed, then let nature here be their best director; except they could contravene the authority of * Learned Physicians, with whom, let them advise. Quod si de resanto semine affectio proveniat, nullum pro-

nerem affectum mulieri præstantius auxilium quam Viri sui frequentes amplexus. Hieronymus Paluerinus, Cap. XCh. de Strangulatione Hysteri.

M. C.

SECT.

SECT. XXXV.

Of the coming forth of the womb.

IN the last Section, Mistriss, I described how the womb might be moveable upwards, yea, & from side to side. I now come to speak of its motion downwards, which sometimes is so low, that it cometh forth, and is to be seen outwardly; and that which hangs out doth appear like a soft, and round tumor, and like the Testicles of a man; but the pain and the heat possesses the privities, and bottom of the belly; and the urine, distilling by some and some, vexeth the privities. The causes may be many; as,

The signs.
Scrotum.

The causes.
See.

First, when a woman, from on high, falleth upon her hips, those skins and membranes which support the womb, and tye it to the neighbouring parts, being broken.

The second cause is, by extraction of the *Secundine*, as hath been formerly
see

Prognosticks, and Cure.

set forth, in the 26th. Section & that through the unskilfulness of the Midwife.

The third Cause is, by a sudden and immoderate flux of blood; as is usually in Abortions, as hath been shewed in the 5th. Section.

The fourth Cause is, by an artificial extraction of a dead child, or overmuch holding the breath, to blow; or carrying of too great a weight.

The fifth is, oftentimes, through overmuch humors, and the defluxions of them; and often bearing of children; which makes those Appendices, to which the womb depends, relaxed, and loosed.

The sixth and last is, through some vehement passion of the mind, being affrighted with the sudden tydings of the loss of children, incursions of enemies, dangerous Sea voyages; and sometimes from neither of these, but from old age Old age. it self, or much weakness. But now, as to the Cure; in which, observe these Prognosticks. Prognosticks by the way; That when this

The Cure of the falling down of the womb.

this affection is new, the womb is easily reduced to its proper place; and being right put up, it continues there, especially in the prime of age; and may both conceive, and bring forth again; but in riper years, it becomes contracted; it may be put up truly, but upon the least occasion slips out again. And in short, this; All fallings down of the womb, which are not, and cannot be cured by proper means, shew that the *Appendices* (as aforesaid) are either lax-ed, or broken.

The Cure.

The Cure is, First, to provide Glysters to be administred, by which the strait gut may be discharged of gross and hard excrements, and the bladder of its urine, by some pipe fitted for the purpose; for sometimes it happens, that the womb being in a streight betwixt those two, cannot be reduced into its proper place. The first may be done by Glysters, the latter with a pipe put up in the neck of the bladder; which done, the womb may be put up by this following method. Let the Patient lye with

*Nasimur
ster-
us &
H. inam.*

*Fistula
vinaria.*

The Cure of the falling down of the womb
 with her face upwards, her hamms be-
 backwards, and thighes spread abroad;
 after which, foment it with the deco-
 ction; of Beets, Mallows, Marsh-
 mallows, Lineseed, and Foenugreek; A fomen-
tation.
 made in spring-water. Then make a
 pledget of wooll wrap'd up in a linnen-
 rag, to the proportion of the privy-
 part; which being dipped in the juice
 of *Acatia* and *Hypocistis*, dissolved in To be
bought at
the Apo-
thecaries.
 red Wine, apply it to the womb; and
 so without violence press up all that
 which is come forth: After which,
 foment the whole * *Pecten* with this * The
share-
bone.
Another
fomenta-
tion.
 fomentation. Take red Wine a quart,
 red Rose-leaves, Bramble-leaves, Plan-
 tain, Myrtle-berries, Shepherds-purse,
 Hagtaper, Horse-tail, and Comfrey-
 roots, applyed with sponges; using af-
 terward the oyles of Mastich and
 Myrtles to the place, and *Unguentum*
Comitissæ to anoint the Reins. Now,
 because the main of our drift is to
 cure the falling out of the womb upon
 difficult births; adde this method to
 the former. * First, purge her with one
 M 3 drachm

The Cure of the falling down of the womb.
 drachm of *Pulvis sennæ compositus ma-*
jeur, given in broth, or Mace-ale, twice
 or thrice: then, Take the leaves of
 Plantain, of Withy, of Medlars, of
 the Oake, of Sloes, of red Brambles, of
 red Roses, of each a handful; of the
 roots of Tormentill, Comfrey, and
 Bistort, of * Pomegranat-flowers, of
 Cypress-nurs, of each an ounce; of
 the seeds of Annise, two ounces: let
 these be grossly bruised, and sewed up
 in a bag; (of which you have a de-
 scription in the 24th. Section of this
 Book.) Boyle these in Smiths water,
 such as they use to quench iron, and ap-
 ply it warm four times a day, wearing
 it continually, well trust up.

* Balau-
 sia.

A bag used.

Horat.

— *Si quid novi sti rectius istis,
 Candidus imperti; si non, his utere mecum.*

Μόνω τῷ Θεῷ Δόξα.


F I N I S.

3.
-
e
of
of
ne
d.
of
of
et
up
e-
is
r,
p-
ng


is,
.

F184150

W3319.2



17195



THE
VVonder of VVonders,
OR, A TRUE
RELATION

OF
A Late Strange and Miraculous Acci-

dent that happened to one that dyed in the Ship called, the
Dunbar, who after he had been buried one shore above
five daies, rise again, and standing upright in his
Grave, called to the Fleet with a shrill Voice
at Noon-day, telling them the Events
that should happen to all those ships
that went towards the Sound.

With the several Speeches made by
him, to the wonderful astonishment and admiration of
divers of the Fleet, who were both Hearers and
Eye-witnesses, and will justifie the truth
of this great Miracle.

With a great and strange Apparition
of two Armies that appeared in the North of England on
Thursday last, with the exact manner of their
engaging one another at Noon-day with
the thundring noise both of
great and small shot.

LONDON,
Printed for J. Jones, Anno Dom. 1659.